

WALTHAM Publications



2016

A.C. Longland, C. Barfoot, P.A. Harris. Journal of Equine Veterinary Science: Efficacy of wearing grazing muzzles for 10 hours per day on controlling bodyweight in pastured ponies. 2016: 45: 22–27

Adrian K. Hewson-Hughes, Alison Colyer, Stephen J. Simpson, David Raubenheimer. Royal Society Open Science: Balancing macronutrient intake in a mammalian carnivore: disentangling the influences of flavour and nutrition. 2016: R. Soc. open sci. 3: 160081

Amanda J. Lloyd, Manfred Beckmann, Kathleen Tailliart, Wendy Y. Brown, John Draper, David Allaway. Metabolomics: Characterisation of the main drivers of intra- and inter- breed variability in the plasma metabolome of dogs. 2016: 12: 72

Annette C. Longland, Clare Barfoot, Patricia A. Harris. Journal of Equine Veterinary Science: Effects of Grazing Muzzles on Intakes of Dry Matter and Water-Soluble Carbohydrates by Ponies Grazing Spring, Summer, and Autumn Swards, as well as Autumn Swards of Different Heights. 2016: 40:26–33

Asta Tvarijonaviciute, Jose J. Ceron, Carlos de Torre, Blanka B. Ljubić, Shelley L. Holden, Yann Queau, Penelope J. Morris, Josep Pastor and Alexander J. German. BMC Veterinary Research: Obese dogs with and without obesity-related metabolic dysfunction - a proteomic approach. 2016: 21: 211

Bamford NJ, Potter SJ, Harris PA, Bailey SR. Equine Journal: Effect of increased adiposity on insulin sensitivity and adipokine concentrations in horses and ponies fed a high fat diet, with or without a once daily high glycaemic meal. 2016: 48(3):368–373

Brenten T, Morris PJ, Salt C, Raila J, Kohn B, Schweigert FJ, Zentek J. Vet Rec Open: Age-associated and breed-associated variations in haematological and biochemical variables in young labrador retriever and miniature schnauzer dogs. 2016: 16;3(1):e000166

Christian H, Wood L, Nathan A, Kawachi I, Houghton S, Martin K, McCune S. BMC Public Health: The association between dog walking, physical activity and owner's perceptions of safety: cross-sectional evidence from the US and Australia. 2016: 16(1): 1010

Corrin Wallis,, Yadvinder Gill, Alison Colyer, Ian Davis, Judi Allsopp, Gleb Komarov, Susan Higham, Stephen Harris. Journal of Veterinary Dentistry: Quantification of Canine Dental Plaque Using Quantitative Light-Induced Fluorescence. 2016: 33(1) 26-38.

David Allaway, Matthew S. Gilham, Alison Colyer, Thomas J. Jönsson, Kelly S. Swanson, Penelope J. Morris. PIOS One: Metabolic Profiling Reveals Effects of Age, Sexual Development and Neutering in Plasma of Young Male Cats. 2016: 11(12): e0168144.



David J. Wrigglesworth, Michael Q. Bailey, Alison Colyer, Kevin R. Hughes. Veterinary Radiology and Ultrasound: PILOT STUDY TO ASSESS MEAL PROGRESSION THROUGH THE GASTROINTESTINAL TRACT OF HABITUATED DOGS DETERMINED BY FLUOROSCOPIC IMAGING WITHOUT SEDATION OR PHYSICAL RESTRAINT. 2016: 57 (6): 565–571.

Delime, P., O'Mahony, K., Desforges, N., Taylor, A.J., Hort, J. Flavour and Fragrance Journal: Comparing the relative sensitivity of ortho- and retronasal perception of a strawberry flavour model using omission testing. 2016: 31 (5): 377–384.

Dóra Szabó, Nancy R. Gee, Ádám Miklósia. J. Vet. Behav.: Natural or pathologic? Discrepancies in the study of behavioral and cognitive signs in aging family dogs. 2016: 11: 86–98.

Ellen Kienzle, Carolin Zehnder, Kurt Pfister, Hartmut Gerhards, Carola Sauter-Louis, Patricia Harris. Journal of Equine Veterinary Science: Field study on risk factors for free fecal water in pleasure horses. 2016: 44: 32–36.

Emma J. Desforges, Alexandra Moesta, Mark J. Farnworth. Applied Animal Behaviour Science: Effect of a shelf-furnished screen on space utilisation and social behaviour of indoor grouphoused cats (Felis silvestris catus). 2016: 178: 60–68.

Fieten H, Gill Y, Martin AJ, Concilli M, Dirksen K, van Steenbeek FG, Spee B, van den Ingh TS, Martens EC, Festa P, Chesi G, van de Sluis B, Houwen RH, Watson AL, Aulchenko YS, Hodgkinson VL, Zhu S, Petris MJ, Polishchuk RS, Leegwater PA, Rothuizen J. Disease models and mechanisms: The Menkes and Wilson disease genes counteract in copper toxicosis in Labrador retrievers: a new canine model for copper-metabolism disorders. 2016: 9(1):25-38.

Gray, K.a, Alexander, L.G.a, Staunton, R.a, Colyer, A.a, Watson, A.b, Fascetti, A.J.c. Journal of Animal Physiology and Animal Nutrition: The effect of 48-hour fasting on taurine status in healthy adult dogs. 2016: 100(3): 532–536.

H. Brown, D. Marlin, P. Harris. Comparative Exercise Physiology: An investigation into the daily level of voluntary activity of stabled riding school horses. 2016: 12 (4): 169 – 175.

Harris, P.A. Equine Veterinary Education: Food for thought. 2016: 28(3); 121-122.

I. Schöberl, A. Beetza, J. Solomona, N. Gee, K. Kotrschal. Journal of Veterinary Behavior: Clinical Applications and Research: Social factors influencing cortisol modulation in dogs during a strange situation procedure. 2016: 11: 77–85.

Ian J. Davis, Andrew W. Jones, Andrew J. Creese, Ruth Staunton, Jujhar Atwal, Iain L. C. Chapple, Stephen Harris, Melissa M. Grant. Journal of Clinical Periodontology: Longitudinal



quantification of the gingival crevicular fluid proteome during progression from gingivitis to periodontitis in a canine model. 2016: 43(7): 584–594.

James E. McDonald, Niels Larsen, Andrea Pennington, John Connolly, Corrin Wallis, David J. Rooks, Neil Hall, Alan J. McCarthy, Heather E. Allison. PIOS One: Characterising the Canine Oral Microbiome by Direct Sequencing of Reverse-Transcribed rRNA Molecules. 2016: 11(6): e0157046.

Lewis Eaton, Kristian Clezy, Donna Snellgrove, Katherine Sloman. Applied Animal Behaviour Science: The behavioural effects of supplementing diets with synthetic and naturally sourced astaxanthin in an ornamental fish (Puntius titteya). 2016: 182: 94–100.

Mastellar SL, Moffet A, Harris PA, Urschel KL. The Veterinary Journal: Effects of threonine supplementation on whole-body protein synthesis and plasma metabolites in growing and mature horses. 2016: 207; 147–153.

N.J. Bamford, S.J. Potter, C.L. Baskerville, P.A. Harris, S.R. Bailey. The Veterinary Journal: Effect of increased adiposity on insulin sensitivity and adipokine concentrations in different equine breeds adapted to cereal-rich or fat-rich meals. 2016: 214: 14–20.

N.J. Menzies-Gow, P.A. Harris, K. Potter, J. Elliott. Journal of Veterinary Internal Medicine / ECEIM Congress 2015: Prospective Cohort Study Evaluating Risk Factors for the Development of Pasture-Associated Laminitis in the UK. 2016: 30(3); 902.

Philippa K. Morrison, Chen Bing, Patricia A. Harris, Charlotte A. Maltin, Dai Grove-White, Caroline McG. Argo. PIOS One: Preliminary Investigation into a Potential Role for Myostatin and Its Receptor (ActRIB) in Lean and Obese Horses and Ponies. 2016: 9(11): e112621.

Potter SJ, Bamford NJ, Harris PA, Bailey SR. Australian Veterinary Journal: Prevalence of obesity and owners' perceptions of body condition in pleasure horses and ponies in southeastern Australia. 2016: 94 (11): 427–432.

Rebekah Fox, Nancy R. Gee. Society & Animals: Changing Conceptions of Care: Humanization of the Companion Animal–Human Relationship. 2016: 24(2); 107 – 128.

Smith, S., Harris, P.A., Menzies-Gow, N.J. Equine Veterinary Journal: Comparison of the in-feed glucose test and the oral sugar test. 2016: 48(2);224-227.

Sophie Susannah Hall, Nancy R. Gee, Daniel Simon Mills. PIOS One: Children Reading to Dogs: A Systematic Review of the Literature. 2016: 11(2): e0149759.



van Rooijen C, Bosch G, Butré CI, van der Poel AF, Wierenga PA, Alexander L, Hendriks WH. Journal of Animal Science: Urinary excretion of dietary Maillard reaction products in healthy adult female cats. 2016: 94(1): 185-195.

van Zelst M, Hesta M, Gray K, Beech K, Cools A, Alexander LG, Du Laing G, Janssens GP. PIOS One: Selenium Digestibility and Bioactivity in Dogs: What the Can Can, the Kibble Can't. 2016: 11(4): e0152709.

van Zelst M, Hesta M, Gray K, Janssens GP. Biological trace element research: Storage of Heparinised Canine Whole Blood for the Measurement of Glutathione Peroxidase Activity. 2016: 172(2): 361–363.

van Zelst M, Hesta M, Gray K, Staunton R, Du Laing G, Janssens GP. BMC Veterinary Research: Biomarkers of selenium status in dogs. 2016: 9:12(1):15.

2015

Allaway D. Nutritional metabolomics: Lessons from companion animals. Current Metabolomics. 2015:3(2):80-89

Anderson KA, Lord LK, Hill LN, McCune S. Fostering the human-animal bond for older adults: Challenges and opportunities. Activities, Adaptation and Aging. 2015:39(1-2):32-42.

Anna L Swan, Dov J Stekel, Charlie Hodgman, David Allaway, Mohammed H Alqahtani, Ali Mobasheri and Jaume Bacardit. A machine learning heuristic to identify biologically relevant and minimal biomarker panels from omics data. BMC Genomics.16(S1):S2

Arnold KE, Herborn KA, Adam A, Alexander L. Individual variation in the oxidative costs of personality traits. Functional Ecology. 2015:29(4):522-530.

Arnold KE, Herborn KA, Adam A, Alexander L. Individual variation in the oxidative costs of personality traits. Functional Ecology. 2015:29(4):522-530.

Bruynsteen, L, Moons, CPH, Janssens, GPJ, Harris, PA, Vandevelde, K, Lefère, L, Duchateau, L, Hesta, M. Level of energy restriction alters body condition score and morphometric profile in obese Shetland ponies. Veterinary Journal. 2015:206(1):61-66

Butterwick, RF. Impact of nutrition on ageing the process. Bridging the Gap: the animal perspective. British Journal of Nutrition. 2015:113(S1):23-25.

Clayton HM, Dyson S, Harris P, Bondi A. Horses, saddles and riders: Applying the science. Equine Veterinary Education. 2015:27(9):447-452

Desforges, N, O'Mahony, K, Delime, P, Hort, J, Taylor, AJ. Measuring flavor interactions using fractional omission testing. ACS Symposium Series. 2015:1191(77-86).



Deusch, O, O'Flynn, C, Colyer, A, Swanson, K.S, Allaway, D, Morris, P. A Longitudinal Study of the Feline Faecal Microbiome Identifies Changes into Early Adulthood Irrespective of Sexual Development. PLOS One. 2015:10(12):e0144881.

Dewhirst FE, Klein EA, Bennett M-L, Croft JM, Harris SJ, Marshall-Jones ZV. The feline oral microbiome: A provisional 16S rRNA gene based taxonomy with full-length reference sequences. Veterinary Microbiology.2015:175(2-4):294-303.

Eaton L, Edmonds EJ, Henry TB, Snellgrove DL, Sloman KA. Mild maternal stress disrupts associative learning and increases aggression in offspring. Hormones and Behavior. 2015;71:10-15.

Ellis AD, Fell M, Luck K, Gill L, Owen H, Briars H, Barfoot C, Harris P. Effect of forage presentation on feed intake behaviour in stabled horses. Applied Animal Behaviour Science. 2015:165:88-94

Ellis, AD, Redgate, S, Zinchenko, S, Owen, H, Barfoot, C, Harris, P. The effect of presenting forage in multi-layered haynets and at multiple sites on night time budgets of stabled horses. Applied Animal Behaviour Science. 2015:171:108-116

Friedmann E, Galik E, Thomas SA, Hall PS, Chung SY, McCune S. Evaluation of a Pet-Assisted Living Intervention for improving functional status in assisted living residents with mild to moderate cognitive impairment. American Journal of Alzheimer's Disease and Other Dementias. 2015;30(3):276-289

Gee, N.R, Friedmann, E, Coglitore, V, Fisk, A, Stendahl, M. Does Physical Contact with a Dog or Person Affect Performance of a Working Memory Task? Anthrozoös. 2015;28(3):483-500.

German AJ, Luxmore J, Holden SL, Morris PJ, Biourge V. Feeding obese dogs during weight loss is on average cost-neutral. Journal of Small Animal Practice. 2015:56(6):366–369.

German, A.J., Titcomb, J.M, Holden, S.L., Queau, Y., Morris, P.J, Biourge, V. Cohort Study of the Success of Controlled Weight Loss Programs for Obese Dogs. Journal of Veterinary Internal Medicine. 2015:29(6):1547-1555.

Giles SL, Nicol CJ, Harris PA, Rands SA. Dominance rank is associated with body condition in outdoor-living domestic horses (Equus caballus). Applied Animal Behaviour Science. 2015:166:71–79

Giles SL, Nicol CJ, Rands SA, Harris PA. Assessing the seasonal prevalence and risk factors for nuchal crest adiposity in domestic horses and ponies using the Cresty Neck Score. BMC Veterinary Research. 2015:11(1):Article 13.



Harris, S, Croft, J, O'Flynn, C, Deusch, O, Colyer, A, Allsopp, J, Milella, L, Davis, IJ. A Pyrosequencing Investigation of Differences in the Feline Subgingival Microbiota in Health, Gingivitis and Mild Periodontitis. PLOS One. 2015:10(11):e0136986.

Lowden, P, Wallis, C, Gee, N., Hilton, A. Investigating the prevalence of Salmonella in dogs within the Midlands region of the United Kingdom. BMC Veterinary Research. 2015:11(1):article 239.

Mack, JK, Alexander, LG, Morris, PJ, Dobenecker, B, Kienzle, E. Demonstration of uniformity of calcium absorption in adult dogs and cats. Journal of Animal Physiology and Animal Nutrition. 2015:99(5):801-809

O'Flynn, C, Deusch, O, Darlin, A, Eisen, JA, Wallis, C, Davis, IJ, Harris, S. Comparative Genomics of the Genus Porphyromonas Identifies Adaptations for Heme Synthesis within the Prevalent Canine Oral Species Porphyromonas cangingivalis. Genome Biology & Evolution. 2015;7(12): 3397-3413.

O'Brine TM, Vrtělová J, Snellgrove DL, Davies SJ, Sloman KA. Growth, oxygen consumption, and behavioral responses of danio rerio to variation in dietary protein and lipid levels. Zebrafish. 2015:12(4):296-304

Schelkle B, Snellgrove D, Jones LL, Cable J. Efficacy of commercially available products against Gyrodactylus turnbulli infections on guppies Poecilia reticulate. Diseases of Aquatic Organisms. 2015:115(2):129-137.

van Zelst M, Hesta M, Alexander LG, Gray K, Bosch G, Hendriks WH, Du Laing G, De Meulenaer B, Goethals K, Janssens GPJ. In vitro selenium accessibility in pet foods is affected by diet composition and type. British Journal of Nutrition. 2015:113(12):1888-1894.

Wallis, C, Marshall, M, Colyer, A, O'Flynn, C, Deusch, O, Harris, S. A longitudinal assessment of changes in bacterial community composition associated with the development of periodontal disease in dogs. Veterinary Microbiology. 2015:181 (3–4):271–282

Wood L, Martin K, Christian H, Nathan A, Lauritsen C, Houghton S, Kawachi I, McCune S. The pet factor - Companion animals as a conduit for getting to know people, friendship formation and social support. PLoS One. 2015:10(4):e0122085

2014

Alexander JE, Colyer A, Morris PJ. The effect of reducing dietary energy density via the addition of water to a dry diet, on body weight, energy intake and physical activity in adult neutered cats. Journal of Nutritional Science. 2014;3:e21.



Bamford NJ, Potter SJ, Harris PA, Bailey SR. Breed differences in insulin sensitivity and insulinemic responses to oral glucose in horses and ponies of moderate body condition score. Domestic Animal Endocrinology. 2014;47:101-107.

Beloshapka AN, Alexander LG, Buff PR, Swanson, KS. The effects of feeding resistant starch on apparent total tract macronutrient digestibility, faecal characteristics and faecal fermentative end-products in healthy adult dogs. Journal of Nutritional Science. 2014;3:e38.

Bermingham EN, Thomas DG, Cave NJ, Morris PJ, Butterwick RF, German AJ. Energy requirements of adult dogs: A meta-analysis. PLoS ONE 2014;9(10):e109681.

Borah BM, Halter TJ, Xie B, Henneman ZJ, Siudzinski TR, Harris S, Elliott M, Nancollas GH. Kinetics of canine dental calculus crystallization: An *in vitro* study on the influence of inorganic components of canine saliva. Journal of Colloid and Interface Science. 2014;425:20-26.

Brenten T, Morris PJ, Salt C, Raila J, Kohn B, Brunnberg L, Schweigert FJ, Zentek J. Energy intake, growth rate and body composition of young Labrador Retrievers and Miniature Schnauzers fed different dietary levels of vitamin A. British Journal of Nutrition. 2014; 111(12):2104-2111.

Bruynsteen L, Janssens GPJ, Harris PA, Duchateau L, Valle E, Odetti P, Vandevelde K, Buyse J, Hesta M. Changes in oxidative stress in response to different levels of energy restriction in obese ponies. British Journal of Nutrition. 2014; 112(8):1402-1411.

Burton EJ, Newnham R, Bailey SJ, Alexander LG. Evaluation of a fast, objective tool for assessing body condition of budgerigars (*Melopsittacus undulatus*). Journal of Animal Physiology and Animal Nutrition. 2014;98(2):223-227.

Coradini M, Rand, JS, Morton JM, Rawlings JM. Metabolic determinants of body weight after cats were fed a low-carbohydrate high-protein diet or a high-carbohydrate low-protein diet *ad libitum* for 8 wks. Domestic Animal Endocrinology. 2014;49:70-79.

Davis IJ, Bull C, Horsfall A, Morley I, Harris S. The Unculturables: targeted isolation of bacterial species associated with canine periodontal health or disease from dental plaque. BMC Microbiology. 2014;14:196.

Deagle G, Holden SL, Biourge V, Morris PJ and German AJ. Long-term follow-up after weight management in obese cats. Journal of Nutritional Science. 2014;3:e25.

Deusch O, O'Flynn C, Colyer A, Morris P, Allaway D, Jones PG, Swanson KS. Deep Illumina-Based Shotgun Sequencing reveals dietary effects on the structure and function of the fecal microbiome of growing kittens. PLoS One. 2014;9(7):e101021.



Dewhirst FE, Klein EA, Bennett M-L, Croft JM, Harris SJ, Marshall-Jones ZV. The feline oral microbiome: A provisional 16S rRNA gene based taxonomy with full-length reference sequences. Veterinary Microbiology. 2014;175(2-4):294–303.

Dougal K, de la Fuente G, Harris PA, Girdwood SE, Pinloche E, Geor RJ, Nielsen BD, Schott II HC, Elzinga S, Newbold CJ. Characterisation of the faecal bacterial community in adult and elderly horses fed a high fibre, high oil or high starch diet using 454 pyrosequencing. PLoS One. 2014;9(2):e87424.

Ellis AD, Stephenson M, Preece M, Harris PA. A novel approach to systematically compare behavioural patterns between and within groups of horses. Applied Animal Behaviour Science. 2014;161:60-74.

Elzinga S, Nielsen BD, Schott HC, Rapson J, Robison CI, McCutcheon J, Harris PA, Geor R. Comparison of nutrient digestibility between adult and aged horses. Journal of Equine Veterinary Science. 2014;34(10):1164-1169.

Fortier J, Julliand V, Harris P, Goachet AG. Training management of Standardbred trotters: a field survey in France. Comparative Exercise Physiology. 2014;10(1):23-32.

Giles SR, Rands SA, Nicol CJ, Harris PA. Obesity prevalence and associated risk factors in outdoor living domestic horses and ponies. PeerJ. 2014;2:e299.

Goachet AG, Harris P, Philippeau C, Julliand V. Effect of physical training on nutrient digestibility and faecal fermentative parameters in Standardbred horses. Journal of Animal Physiology and Animal Nutrition. 2014;98(6):1081-1087.

Harris PA, Georg RJ. Chapter 36 – Nutrition for the equine athlete: Nutrient requirements and key principles in ration design. Equine Sports Medicine & Surgery 2nd Edition. 2014:797-818.

Harris PA, Georg RJ. Chapter 37 – Nutrition for the equine athlete: Above and beyond nutrients alone. Equine Sports Medicine & Surgery 2nd Edition. 2014:819-834.

Herborn KA, Heidinger BJ, Alexander L, Arnold KE. Personality predicts behavioral flexibility in a fluctuating, natural environment. Behavioral Ecology. 2014;25(6):1374-1379.

Holcombe LJ, Patel N, Colyer A, Deusch O, O'Flynn C, Harris S. Early canine plaque biofilms: Characterization of key bacterial interaction involved in initial colonization of enamel. PLoS One. 2014;9(12):e113744.

Ince JC, Longland AC, Moore-Colyer MJS, Harris PA. *In vitro* degradation of grass fructan by equid gastrointestinal digesta. Grass and Forage Science. 2014;69(3):514-523.



Jones LL, Nalli SM. Chapter 74 – The effect of gas-chromatography injection parameters on the analysis of thiols and polysulfides. Flavour Science: Proceedings from XIII Weurman Flavour Research Symposium. 2014:397-400.

Kang S-G, Das P, McGrane SJ, Martin AJ, Huynh T, Royyuru AK, Taylor AJ, Jones PG, Zhou R. Molecular recognition of Metabotropic Glutamate Receptor Type 1 (mGluR1): Synergistic understanding with free energy perturbation and linear response modeling. Journal of Physical Chemistry B. 2014;118(24):6393-6404.

Lavrijsen ICM, Leegwater PAJ, Martin AJ, Harris SJ, Tryfonidou MA, Heuven HCM, Hazewinkel HAW. Genome wide analysis indicates genes for basement membrane and cartilage matrix proteins as candidates for hip dysplasia in Labrador retrievers. PLoS One. 2014;9(1):e87735.

Longland AC, Barfoot, C, Harris PA. Effect of period, water temperature and agitation on loss of water-soluble carbohydrates and protein from grass hay: Implications for equine feeding management. Veterinary Record. 2014;174(3):68.

Loys Richards E, Alexander LG, Snellgrove D, Thomas RJ, Marples NM, Cable J. Variation in the expression of dietary conservatism within and between fish species. Animal Behaviour. 2014;88:49-56.

Marshall MD, Wallis CV, Milella L, Colyer A, Tweedie AD, Harris S. A longitudinal assessment of periodontal disease in Miniature Schnauzers. BMC Veterinary Research. 2014;10:166.

McCune S, Kruger KA, Griffin JA, Esposito L, Freund LS, Hurley KJ, Bures R. Evolution of research into the mutual benefits of human-animal interaction. Animal Frontiers. 2014;4(3):49-58.

Menzies-Gow NJ, Wray H, Bailey SR, Harris PA, Elliott J. The effect of exercise on plasma concentrations of inflammatory markers in normal and previously laminitic ponies. Equine Veterinary Journal. 2014;46(3):317-321.

Menzies-Gow NJ, Wray H, Bailey SR, Harris PA, Elliott J. The effect of tumour necrosis factor-α and insulin on equine digital blood vessel function *in vitro*. Inflammation Research. 2014;63(8):637-647.

Moore-Colyer MJS, Lumbis K, Longland A, Harris PA. The effect of five different wetting treatments on the nutrient content and microbial concentration in hay for horses. PLoS One. 2014;9(11):e114079.



Morrison PK, Bing C, Harris PA, Maltin CA, Grove-White D, Argo CM. Post-Mortem stability of RNA in skeletal muscle and adipose tissue and the tissue-specific expression of myostatin, perilipin and associated factors in the horse. PLoS One. 2014;9(6):e100810.

Morrison PK, Bing C, Harris PA, Maltin CA, Grove-White D, Argo CM. Preliminary investigation into a potential role for myostatin and its receptor (ActRIIB) in lean and obese horses and ponies. PLoS One. 2014;9(11):e112621.

O'Haire ME, McKenzie SJ, McCune S, Slaughter V. Effects of classroom animal-assisted activities on social functioning in children with Autism Spectrum Disorder. The Journal of Alternative and Complementary Medicine. 2014;20(3):162-168.

Paul E, Moore A, McAinsh P, Symonds E, McCune S, Bradshaw J. Sociality motivation and anthropomorphic thinking about pets. Anthrozoos. 2014;27(4):499-512.

Plyer D, Mort ES, Jones LL, Desforges NC, Marshall JW. Chapter 90 - Relationship between human taste perception and the persistence of umami compounds in the mouth. Flavour Science:Proceedings from XIII Weurman Flavour Research Symposium. 2014:487-491.

Rawling MD, Merrifield DL, Kuhlwein H, Snellgrove D, Gioacchini G, Carnevali O, Davies SJ. Dietary modulation of immune response and related gene expression profiles in mirror carp (*Cyprinus carpio*) using selected exotic feed ingredients. Aquaculture. 2014;418-419:177-184.

Redgate SE, Cooper JJ, Hall S, Eady P, Harris PA. Dietary experience modifies horses' feeding behavior and selection patterns of three macronutrient rich diets. Journal of Animal Science. 2014;92(4):1524-1530.

Spofford N, Mougeot I, Elliott DA, Addleman A, Lefebvre SL, Wang M, Yang M, Feugier A, Biourge V and Lund EM. A moderate fat, low-energy dry expanded diet reduces gain in body condition score when fed as part of a post neutering weight-control regimen in growing pet cats. Journal of Nutritional Science. 2014;3:e40.

Tanner SL, Wagner AL, Digianantonio RN, Harris PA, Sylvester JT, Urschel KL. Dietary crude protein intake influences rates of whole-body protein synthesis in weanling horses. Veterinary Journal. 2014;202(2):236-243.

Taylor A, Skelton S, Jones LL. Chapter 6 - Measuring odor delivery for sensory testing. Flavour Science:Proceedings from XIII Weurman Flavour Research Symposium. 2014:33-37.

van Rooijen C, Bosch G, van der Poel AFB, Wierenga PA, Alexander L and Hendriks WH. Reactive lysine content in commercially available pet foods. Journal of Nutritional Science. 2014;3:e35.



van Rooijen C, Bosch G, van der Poel AFB, Wierenga PA, Alexander L and Hendriks WH. Quantitation of Maillard reaction products in commercially available pet foods. Journal of Agricultural and Food Chemistry. 2014;62(35):8883-8891.

Zeyne A, Romanowski K, Vernunft A, Harris P, Kienzle E. Scoring of sweat losses in exercised horses – a pilot study. Journal of Animal Physiology and Animal Nutrition. 2014;98(2):246-250.

2013

Allaway D, Kamlage B, Gilham MS, Hewson-Hughes AK, Wiemer JC, Colyer A, Rein D. Effects of dietary glucose supplementation on the fasted plasma metabolome in cats and dogs. Metabolomics. 2013;9(5):1096-1108.

Bosch G, Wrigglesworth DJ, Cone JW, Pellikaan WF, Hendriks WH. Effects of preservation conditions of canine feces on in vitro gas production kinetics and fermentation end products. Journal of Animal Science. 2013;91(1):259-267.

Clutterbuck AL, Allaway D, Harris P, Mobasheri A. Curcumin reduces prostaglandin E2, matrix metalloproteinase-3 and proteoglycan release in the secretome of interleukin 1β -treated articular cartilage. F1000 Research. 2;147

Coradini M, Rand JS, Morton JM, Arai T, Ishioka K, Rawlings JM. Fat mass, and not diet, has a large effect on postprandial leptin but not on adiponectin concentrations in cats. Domestic Animal Endocrinology. 2013;45(2):79-88.

Davis, IJ, Wallis, C, Deusch, O, Colyer, A, Milella, L, Loman, N, Harris, S. A cross-sectional survey of bacterial species in plaque from client owned dogs with healthy gingiva, gingivitis or mild periodontitis. PLoS One. 2013;8(12):e83158.

Duan F, Ogden D, Xu L, Liu K, Lust G, Sandler J, Dykes NL, Zhu L, Harris S, Jones P, Todhunter RJ, Zhang Z. Principal component analysis of canine hip dysplasia phenotypes and their statistical power for genome-wide association mapping. Journal of Applied Statistics.2013;40(2):235-251.

Fieten H, Dirksen K, van den Ingh TSGAM, Winter EA, Watson AL, Leegwater PAJ, Rothuizen J. d-penicillamine treatment of copper-associated hepatitis in Labrador retrievers. Veterinary Journal. 2013;196(3):522-527.

Fieten H, Hugen S, Van den Ingh TSGAM, Hendriks WH, Vernooij JCM, Bode P, Watson AL, Leegwater PAJ, Rothuizen J. Urinary excretion of copper, zinc and iron with and without D-penicillamine administration in relation to hepatic copper concentration in dogs. Veterinary Journal. 2013;197(2):468-473.

Friedmann E, Thomas SA, Son H, McCune S. Pet's presence and owner's blood pressures during the daily lives of pet owners with pre- to mild hypertension. Anthrozoos. 2013;26(4):535-550.



Hand D, Wallis C, Colyer A, Penn CW. Pyrosequencing the canine faecal microbiota: breadth and depth of biodiversity. PLoS ONE. 2013;8(1):e53115.

Hewson-Hughes AK, Hewson-Hughes V, Colyer A, Miller A, McGrane S, Hall S, Butterwick R, Simpson S, Raubenheimer D. Geometric analysis of macronutrient selection in breeds of the domestic dog *Canis lupus familiaris*. Behavioral Ecology.2013;24(1):293-304.

Hewson-Hughes AK, Hewson-Hughes V, Colyer A, Miller AT, Hall SR, Raubenheimer D, Simpson SJ. Consistent proportional macronutrient intake selected by adult domestic cats (*Felis catus*) despite variations in macronutrient and moisture content of foods offered. Journal of Comparative Physiology B Biochemical, Systems, and Environmental Physiology.2013;183(4):525-536.

Lefebvre SL, Yang M, Wang M, Elliott DA, Buff PR, Lund EM. Effect of age at gonadectomy on the probability of dogs becoming overweight. Journal of the American Veterinary Medical Association.2013;243(2):236-243.

Lupatsch I, Floyd RJ, Shields RJ, Snellgrove DL. Feed requirements for maintenance and growth of anemone clownfish *Amphiprion percula*. The Israeli Journal of Aquaculture – Bamidgeh.2013; IJA_65.2013.917.

Mosing M, German AJ, Holden SL, MacFarlane P, Biourge V, Morris PJ, Iff I. Oxygenation and ventilation characteristics in obese sedated dogs before and after weight loss: A clinical trial. The Veterinary Journal. 2013;198(2):367-371.

O'Haire M, McKenzie SJ, McCune S, Slaughter V. Effects of animal-assisted activities with guinea pigs in the primary school classroom. Anthrozoos. 2013; 26(3):445-458.

Pullen AJ, Merrill RJN, Bradshaw JWS. The effect of familiarity on behavior of kenneled dogs during interactions with conspecifics. Journal of Applied Animal Welfare Science.2013;16(1):64-76.

Schelkle B, Snellgrove D, Cable J. *In vitro* and *in vivo* efficacy of garlic compounds against *Gyrodactylus turnbulli* infecting the guppy (*Poecilia reticulata*). Veterinary Parasitology. 2013; 198(1-2):96-101.

Slutsky J, Raj K, Yuhnke S, Bell J, Fretwell N, Hedhammar A, Wade C, Giger U. A web resource on DNA tests for canine and feline hereditary diseases. Veterinary Journal. 2013;197(2):182-187.

Spofford N, Lefebvre S, McCune S, Niel L. Should the veterinary profession invest in developing methods to assess quality of life in healthy dogs and cats? Journal of the American Veterinary Medical Association. 2013;243(7):952-56.



Swan AL, Hillier KL, Smith JR, Allaway D, Liddell S, Bacardit J, Mobasheri A. Analysis of mass spectrometry data from the secretome of an explant model of articular cartilage inflammation using machine learning. BMC Musculoskeletal Disorders. 14;349.

Swan AL, Mobasheri A, Allaway D, Liddell S, Bacardit J. Application of machine learning to proteomics data: Classification and biomarker identification in postgenomics biology. OMICS: A Journal of Integrative Biology. 2013;17(2):595-610.

Tvarijonaviciute A, Ceron JJ, Holden SL, Biourge V, Morris PJ, German AJ. Effect of weight loss in obese dogs on indicators of renal function or disease. Journal of Veterinary Internal Medicine.2013;27(1):31-38.

van Rooijena C, Boscha G, van der Poela AFB, Wierengaa PA, Alexander L, Hendriks WH. The Maillard reaction and pet food processing: effects on nutritive value and pet health. Nutrition Research Reviews. 2013;26(2):130-148.

Waller BM, Peirce K, Caeiro CC, Scheider L, Burrows AM, McCune S, Kaminski J. Paedomorphic facial expressions give dogs a selective advantage. PLoS One. 2013; 8(12):e82686.

Westgarth C, Boddy LM, Stratton G, German AJ, Gaskell RM, Coyne KP, Bundred P, McCune S, Dawson S. A cross-sectional study of frequency and factors associated with dog walking in 9-10 year old children in Liverpool, UK. BMC Public Health. 2013; 13(1):822.

Westgarth C, Boddy LM, Stratton G, German AJ, Gaskell RM, Coyne KP, Bundred P, McCune S, Dawson S. Pet ownership, dog types and attachment to pets in 9-10 year old children in Liverpool, UK. BMC Veterinary Research. 2013;9:102

Williams A, Smith JR, Allaway D, Harris P, Liddell S, Mobasheri A. Carprofen inhibits the release of matrix metalloproteinases 1, 3 and 13 in the secretome of an explant model of articular cartilage stimulated with interleukin 1beta. Arthritis Research & Therapy. 15;R223

2012

Argo CMcG, Curtis GC, Grove-White D, Dugdale AHA, Barfoot CF, Harris PA. Weight loss resistance: A further consideration for the nutritional management of obese Equidae. Veterinary Journal.2012;194(2):179-188.

Borer KE, Bailey SR, Menzies-Gow NJ, Harris PA, Elliott J. Use of proxy measurements of insulin sensitivity and insulin secretory response to distinguish between normal and previously laminitic ponies. Equine Veterinary Journal. 2012;44(4):444-448.



Borer KE, Bailey SR, Menzies-Gow NJ, Harris PA, Elliott J. Effect of feeding glucose, fructose, and inulin on blood glucose and insulin concentrations in normal ponies and those predisposed to laminitis. Journal of Animal Science.2012;90(9):3003-3013.

Butterwick RF, Salt C, Watson TDG. Effects of increases in dietary fat intake on plasma lipid and lipoprotein cholesterol concentrations and associated enzyme activities in cats. American Journal of Veterinary Research. 2012;73(1):62-67.

Dewhirst FE, Klein EA, Thompson EC, Blanton JM, Chen T, Milella L, Buckley CMF, Davis IJ, Bennett M-L, Marshall-Jones ZV. The Canine Oral Microbiome. PLoS One. 2012;7(4):Article No E36067.

Dougal K, Harris PA, Edwards A, Pachebat JA, Blackmore TM, Worgan HJ, Newbold CJ. A comparison of the microbiome and the metabolome of different regions of the equine hindgut. FEMS Microbiology Ecology.2012;82(3):642-652.

Dugdale AHA, Grove-White D, Curtis GC, Harris PA, Argo CMcG. Body condition scoring as a predictor of body fat in horses and ponies. Veterinary Journal.2012;194(2):173-178.

Elliott KF, Rand JS, Fleeman LM, Morton JM, Litster AL, Biourge VC, Markwell PJ. A diet lower in digestible carbohydrate results in lower postprandial glucose concentrations compared with a traditional canine diabetes diet and an adult maintenance diet in healthy dogs. Research in Veterinary Science. 2012; 93:288–295.

Ellis AD, Fell M, Luck K, Gill L, Gregory A, Harris P. Effect of forage presentation on feed intake behaviour in stabled horses. EAAP Scientific Series. 2012;132(1):181-184.

Fieten H, Leegwater PAJ, Watson AL, Rothuizen J. Canine models of copper toxicosis for understanding mammalian copper metabolism. Mammalian Genome. 2012;23(1-2):62-75.

Fieten H, Hooijer-Nouwens BD, Biourge VC, Leegwater PAJ, Watson AL, van den Ingh TSGAM, Rothvizen J. Association of dietary copper and zinc levels with hepatic copper and zinc concentration in Labrador retrievers. Journal of Veterinary Internal Medicine.2012;26(6):1274-1280.

German AJ, Holden SL, Wiseman-Orr ML, Reid J, Nolan AM, Biourge V, Morris PJ, Scott EM. Quality of life is reduced in obese dogs but improves after successful weight loss. Veterinary Journal. 2012;192(3):428-434.

Harris P. Laminitis after 2000 years: Adding bricks to our wall of knowledge. Veterinary Journal. 2012;191(3):273-274.

Hutchinson D, Sutherland-Smith J, Watson AL, Freeman LM. Assessment of methods of evaluating sarcopenia in old dogs. AJVR. 2012;73(11):1794-1800.



Jones ID, Luis Fuentes V, Boswood A, Hezzell MJ, Wrigglesworth D, Mateus A, Mooarmart W, Elliott J. Ultrasonic measurement of flow-mediated vasodilation in dogs with chronic valvular disease. Journal of Veterinary Cardiology. 2012;14(1):203-210.

Linder DE, Freeman LM, Morris P, German AJ, Biourge V, Heinze C, Alexander L. Theoretical evaluation of risk for nutritional deficiency with caloric restriction in dogs. Veterinary Quarterly.2012;32(3-4):123-129.

Longland AC, Dhanoa MS, Harris PA. Comparison of a colorimetric and a high-performance liquid chromatography method for the determination of fructan in pasture grasses for horses. Journal of the Science of Food and Agriculture. 2012;92(9):1878-1885.

Longland AC, Ince J, Moore-Colver MJS, Harris PA. Degradation of grass and grass function by equine gastrointestinal digesta in vitro. EAAP Scientific Series. 2012;132(1):107-108.

Morris PJ, Salt C, Raila J, Brenten T, Kohn B, Schweigert FJ, Zentek J. Safety evaluation of vitamin A in growing dogs. British Journal of Nutrition. 2012; 108(10):1800-1809.

Penny J, Harris P, Shakesheff K, Mobasheri A. The biology of equine mesenchymal stem cells: Pheotypic characterization, cell surface markers and multilineage differentiation. Frontiers in Bioscience. 2012;17(3):892-908.

Pullen AJ, Merrill RJN, Bradshaw JWS. Habituation and dishabituation during object play in kennel-housed dogs. Animal Cognition. 2012;15(6):1143-1150.

Pullen AJ, Merrill RJN, Bradshaw JWS. The effect of familiarity on behaviour of kennel housed dogs during interactions with humans. Applied Animal Behaviour Science. 2012;137:66–73.

Rawling MD, Merrifield DL, Snellgrove DL, Kuhlwein H, Adams A, Davies SJ. Haemato-immunological and growth response of mirror carp (Cyprinus carpio) fed a tropical earthworm meal in experimental diets. Fish and Shellfish Immunology. 2012;32(6):1002-1007.

Schoberl I, Wedl M, Bauer B, Day J, Mostl E, Kotrschal K. Effects of owner-dog relationship and owner personality on cortisol modulation in human-dog dyads. Anthrozoos. 2012;25(2):199-214.

Shakibaei M, Allaway D, Nebrich S, Mobasheri A. Botanical extracts from Rosehip (Rosa canina), Willow Bark (Salix alba) and Nettle Leaf (Urtica dioica) Suppress IL-1β-induced NF-κB activation in canine articular chondrocytes. Evidence-Based Complementary and Alternative Medicine. 2012;2012:Article No 509383.



Tinworth KD, Boston RC, Harris PA, Sillence MN, Raidal SL, Noble GK. The effect of oral metformin on insulin sensitivity in insulin-resistant ponies. Veterinary Journal. 2012;191(1):79-84.

Tvarijonaviciute A, Cerona, JJ, Holden SL, Morris PJ, Biourge V, German AJ. Effects of weight loss in obese cats on biochemical analytes related to inflammation and glucose homeostasis. Domestic Animal Endocrinology;42:129–141.

Tvarijonaviciute A, Ceron JJ, Holden SL, Cuthbertson DJ, Biourge V, Morris PJ, German AJ. Obesity-related metabolic dysfunction in dogs: a comparison with human metabolic syndrome. BMC Veterinary Research. 2012;8:147.

Urschel KL, Geor RJ, Hanigan MD, Harris PA. Amino acid supplementation does not alter whole-body phenylalanine kinetics in Arabian geldings. Journal of Nutrition. 2012;142(3):461-469.

Van Galen G, Marcillaud Pitel C, Saegerman C, Patarin F, Amory H, Baily JD, Cassart D, Gerber V, Hahn C Harris P, Keen JA, Kirschvink N, Lefere L, Mcgorum B, Muller JMV, Picavet MTJE, Piercy RJ, Roscher K, Serteyn D, Unger L, van der Kolk JH, van Loon G, Verwilghen D, Westermann CM, Votion DM. European outbreaks of atypical myopathy in grazing equids (2006-2009): Spatiotemporal distribution, history and clinical features. Equine Veterinary Journal.2012 September;44(5):614-620.

Van Galen G, Saegerman C, Marcillaud PC, Patarin F, Amory H, Baily JD, Cassart D, Gerber V, Hahn C, Harris P, Keen JA, Kirschvink N, Lefere L, Mcgorum B, Muller JMV, Picavet MTJE, Piercy RJ, Roscher K, Serteyn D, Unger L, van der Kolk JH, van Loon G, Verwilghen D, Westermann CM, Votion DM. European outbreaks of atypical myopathy in grazing equids (2006-2009): Determination of indicators for risk and prognostic factors. European Veterinary Journal. 2012;44(5):621-625.

Westgarth C, Liu J, Heron J, Ness AR, Bundred P, Gaskell RM, German AJ, McCune S, Dawson S. Dog ownership during pregnancy, maternal activity and obesity: A Cross-sectional Study. PLoS One. 2012;7(2):Article number e31315.

Westgarth C, Heron J, Ness AR, Bundred P, Gaskell RM, Coyne K, German AJ, McCune S, Dawson S. Is childhood obesity influenced by dog ownership? No cross-sectional or longitudinal evidence. Obesity Facts.2012;5:833-844.

Zhu L, Chen S, Jiano Z, Zhana Z, Ku HC, Li X, McCann M, Harris S, Lust G, Jones P, Todhunter R. Identification of quantitative trait loci for canine hip dysplasia by two sequential multipoint linkage analyses. Journal of Applied Statistics. 2012;39(8):1719-1731.



2011

Alexander LG, Salt C, Thomas G, Butterwick R. Effects of neutering on food intake, body weight and body composition in growing female kittens. British Journal of Nutrition 2011;106(1Supp):S19-S23

Buckley C, Colyer A, Skrzywanek M, Jodkowska K, Kurski G, Gawor J, Ceregrzyn M. The impact of home-prepared diets and home oral hygiene on oral health in cats and dogs. British Journal of Nutrition. 2011;106(1Supp):S124-S127.

Buckley CM, Hawthorne A, Colyer A, Stevenson AE. Effect of dietary water intake on urinary output, specific gravity and relative supersaturation for calcium oxalate and struvite in the cat. British Journal of Nutrition. 2011;106(1Supp):S128-S130.

Butterwick RF, Erdman Jr JW, Hill RC, Lewis AJ, Whittemore CT. Challenges in developing nutrient guidelines for companion animals. British Journal of Nutrition. 2011;106(1Supp):S24-S31.

Cameron KM, Morris PJ, Hackett RM, Speakman JR. The effects of increasing water content to reduce the energy density of the diet on body mass changes following caloric restriction in domestic cats. Journal of Animal Physiology and Animal Nutrition. 2011;95:399-408.

Clutterbuck AL, Smith JR, Allaway D, Harris P, Liddell S, Mobasheri A. High throughput proteomic analysis of the secretome in an explant model of articular cartilage inflammation. Journal of Proteomics. 2011;74(5):704-15.

Colyer A, Gilham MS, Kamlage B, Rein D, Allaway D. Identification of intra- and inter-individual metabolite variation in plasma metabolite profiles of cats and dogs. British Journal of Nutrition. 2011;106(1Supp):S146-S149.

Coradini M, Rand JS, Morton JM, Rawlings JM. Effects of two commercially available feline diets on glucose and insulin concentrations, insulin sensitivity and energetic efficiency of weight gain. British Journal of Nutrition. 2011;106:S64-S77.

Curtis GC, Barfoot CF, Dugdale AHA, Harris PA. Voluntary ingestion of wood shavings by obese horses under dietary restriction. British Journal of Nutrition. 2011;106:S178-S182.

German AJ, Holden SL, Mason SL, Bryner C, Bouldoires C, Morris PJ, Deboise M, Biourge V. Imprecision when using measuring cups to weigh out extruded dry kibble. Journal of Animal Physiology and Animal Nutrition. 2011;95:368-373.

German AJ, Holden SL, Mather NJ, Morris PJ, Biourge V. Low-maintenance energy requirements of obese dogs after weight loss. British Journal of Nutrition. 2011;106:S93-S96.



German AJ, Holden SL, Gernon LJ, Morris PJ, Biourge V. Do feeding practices of obese dogs, before weight loss, affect the success of weight management? British Journal of Nutrition. 2011;106:S97-S100.

Guo G, Zhou Z, Wang Y, Zhao K, Zhu L, Lust G, et al. Canine hip dysplasia is predictable by genotyping. Osteoarthritis and Cartilage. 2011;19(4):420-9.

Herborn K, Alexander L, Arnold KE. Colour cues or spatial cues? Context-dependent preferences in the European Greenfinch (*carduelis chloris*). Animal Cognition.2011:1-9.

Herborn KA, Coffey J, Larcombe SD, Alexander L, Arnold KE. Oxidative profile varies with personality in European Greenfinches. Journal of Experimental Biology.2011;214(10):1732-9.

Hewson-Hughes AK, Hewson-Hughes VL, Miller AT, Hall SR, Simpson SJ, Raubenheimer D. Geometric analysis of macronutrient selection in the adult domestic cat, *felis catus*. Journal of Experimental Biology.2011;214(6):1039-41.

Hewson-Hughes AK, Gilham MS, Upton S, Colyer A, Butterwick R, Miller AT. The effect of dietary starch level on postprandial glucose and insulin concentrations in cats and dogs. British Journal of Nutrition. 2011;106(1Supp):S105-S109.

Hewson-Hughes AK, Gilham MS, Upton S, Colyer A, Butterwick R, Miller AT. Postprandial glucose and insulin profiles following a glucose-loaded meal in cats and dogs. British Journal of Nutrition. 2011;106(1Supp):S101-S104.

Houston DM, Weese HE, Evason MD, Biourge V, Van Hoek I. A diet with a struvite relative supersaturation less than 1 is effective in dissolving struvite stones in vivo. British Journal of Nutrition. 2011;106:S90-S92.

Jones ID, Fuentes VL, Wrigglesworth D, Mort E, Elliott J. Comparison of flow-mediated vasodilation in femoral and brachial arteries in healthy dogs. American Journal of Veterinary Research. 2011;72(8):1029-1037.

Richards EL, Thomas RJ, Marples NM, Snellgrove DL, Cable J. The expression of dietary conservatism in solitary and shoaling 3-spined Sticklebacks *gasterosteus aculeatus*. Behavioural Ecololgy.2011;22(4):738-44.

Ryan VH, Trayhurn P, Hunter L, Morris PJ, German AJ. 11-Hydroxy- β -steroid dehydrogenase gene expression in canine adipose tissue and adipocytes: Stimulation by lipopolysaccharide and tumor necrosis factor α . Domestic Animal Endocrinology. 2011;41(3):111-162.



Sloman KA, Baldwin L, McMahon S, Snellgrove D. The effects of mixed-species assemblage on the behavior and welfare of fish held in home aquaria. Applied Animal Behaviour Science. 2011;135:160-168.

Snellgrove DL, Alexander LG. Whole-body amino acid composition of adult fancy ranchu goldfish (Carassius auratus). British Journal of Nutrition. 2011;106(1Supp):S110-S112.

Snellgrove DL, Alexander LG. Haematology and plasma chemistry of the red top ice blue mbuna cichlid (Metriaclima greshakei). British Journal of Nutrition. 2011;106(1Supp):S154-S157.

Tan HY, Rand JS, Morton JM, Fleeman LM, Armstrong JP, Coradini M, *et al.* Adiponectin profiles are affected by chronic and acute changes in carbohydrate intake in healthy cats. General and Comparative Endocrinology. 2011;172(3):468-74.

Wedl M, Bauer B, Gracey D, Grabmayer C, Spielauer E, Day J, Kotrschal K.. Factors influencing the temporal patterns of dyadic behaviours and interactions between domestic cats and their owners. Behavioural Processes.2011;86(1):58-67.

Williams A, Smith JR, Allaway D, Harris P, Liddell S, Mobasheri A. Applications of proteomics in cartilage biology and osteoarthritis research. Frontiers in Bioscience. 2011;16(7):2622-41.

Wrigglesworth DJ, Mort ES, Upton SL, Miller AT. Accuracy of the use of triaxial accelerometry for measuring daily activity as a predictor of daily maintenance energy requirement in healthy adult Labrador retrievers. American Journal of Veterinary Research. 2011;72(9):1151-1155.

2010

Arnold KE, Larcombe SD, Ducaroir L, Alexander L. Antioxidant status, flight performance and sexual signaling in wild-type parrots. Behavioural Ecology and Sociobiology. 2010; 64:1857-1866.

Beckmann M, Enot DP, Overy DP, Scott IM, Jones PG, Allaway D, Draper J. Metabolite fingerprinting of urine suggests breed-specific dietary metabolism differences in domestic dogs. British Journal of Nutrition. 2010;103:1127-1138.

Bermingham EN, Thomas DG, Morris PJ, Hawthorne AJ. Energy requirements of adult cats - a meta-analysis. British Journal of Nutrition.2010;103:1083-1093.

Bissot T, Servet E, Vidal S, Deboise M, Sergheraert R, Egron G, *et al.* Novel dietary strategies can improve the outcome of weight loss programmes in obese client-owned cats. Journal of Feline Medicine and Surgery.2010;12(2):104-112.



Clutterbuck AL, Harris P, Allaway D, Mobasheri A. Matrix metalloproteinases in inflammatory pathologies of the horse. Veterinary Journal. 2010;183(1):27-38.

Dugdale AHA, curtis GC, Cripps P, Harris PA, Argo CM. Effect of dietary restriction on body condition, composition and welfare of overweight and obese pony mares. Equine Veterinary Journal.2010;42(7):600-610.

German AJ, Holden SL, Bissot T, Morris PJ, Biourge V. A high protein high fibre diet improves weight loss in obese dogs. Veterinary Journal. 2010;183(3):294-297.

German AJG, Morris PJ. Comparison of bioimpedance to dual-energy X-ray absorptiometry for non-invasive estimation of percentage of body fat in dogs. American Journal of Veterinary Research.2010;71(4):393-398.

Henrotin Y, Clutterbuck AL, Allaway D, Lodwig EM, Harris P, Mathy-Hartert M, *et al.* Biological actions of curcumin on articular chondrocytes. Osteoarthritis and Cartilage.2010;18(2):141-149.

Herborn KA, Macleod R, Miles WTS, Schofield ANB, Alexander L, Arnold KE. Personality in captivity reflects personality in the wild. Animal Behaviour. 2010;79:835-843.

Hothersall B, Gale EV, Harris P, Nicol CJ. Cue use by foals (*equus caballus*) in a discrimination learning task. Animal Cognition.2010;13(1):63-74.

Hothersall B, Harris P, Sörtoft L, Nicol CJ. Discrimination between conspecific odour samples in the horse (*equus caballus*). Applied Animal Behaviour Science.2010;126(1-2):37-44.

Jepson RE, Vallance C, Syme HM, Elliott J. Assessment of urinary N-acetyl-β-D-glucosaminidase activity in geriatric cats with variable plasma creatinine concentrations with and without azotemia. American Journal of Veterinary Research.2010;71(2):241-247.

Jones ID, Fuentes VL, Fray TR, Vallance C, Elliott J. Evaluation of a flow-mediated vasodilation measurement technique in healthy dogs. American Journal of Veterinary Research. 2010;71(10):1154-1161.

Larcombe SD, Mullen W, Alexander L, Arnold KE. Dietary antioxidants, lipid peroxidation and plumage colouration in nestling blue tits *cyanistes caeruleus*. Naturwissenschaften.2010;97(10):903-913.

Larcombe SD, Coffey JS, Bann D, Alexander L, Arnold KE. Impacts of dietary antioxidants and flight training on post-exercise oxidative damage in adult parrots. Comparative Biochemistry and Physiology Part B. 2010;155(1):49-53.



Martin LJM, Siliart B, Lutz TA, Biourge V, Nguyen P, Dumon HJW. Postprandial response of plasma insulin, amylin and acylated ghrelin to various test meals in lean and obese cats. British Journal of Nutrition.2010;103:1610-1619.

Nery J, Biourge V, Tournier C, Leray V, Martin L, Dumon H, *et al.* Influence of dietary protein content and source on fecal quality, electrolyte concentrations, and osmolarity, and digestibility in dogs differing in body size. Journal of Animal Science.2010;88(1):159-169.

Pullen AJ, Merrill RJN, Bradshaw JWS. Preferences for toy types and presentations in kennel housed dogs. Applied Animal Behaviour Science. 2010;125(3):151-156.

Ryan VH, German AJ, Wood IS, Hunter L, Morris P, Trayhurn P. Adipokine expression and secretion by canine adipocytes: Stimulation of inflammatory adipokine production by LPS and TNFα. Pflugers Archive European Journal of Physiology.2010;460(3):603-16.

Saxby A, Adams L, Snellgrove D, Wilson RW, Sloman KA. The effect of group size on the behavior and welfare of four fish species commonly kept in home aquaria. Applied Animal Behaviour Science. 2010;125:195-205.

Short AD, Saleh NM, Catchpole B, Kennedy LJ, Barnes A, Jones CA, *et al.* CTLA4 promoter polymorphisms are associated with canine diabetes mellitus. Tissue Antigens.2010;75(3):242-52.

Spooner HS, Nielsen BD, Schott HC, Harris PA. Sweat composition in Arabian horses performing endurance exercise on forage-based, low na rations. Equine Veterinary Journal.2010;42(SUPPL. 38):382-6.

Stuyven E, Verdonck F, Van Hoek I, Daminet S, Duchateau L, Remon JP, et al. Oral administration of β -1,3/1,6-glucan to dogs temporally changes total and antigen-specific IgA and IgM. Clinical and Vaccine Immunology. 2010;17(2):281,282-285.

Tinworth KD, Edwards S, Harris PA, Sillence MN, Hackett LP, Noble GK. Pharmacokinetics of metformin after enteral administration in insulin-resistant ponies. American Journal of Veterinary Research.2010;71(10):1201-1206.

Tinworth KD, Harris PA, Sillence MN, Noble GK. Potential treatments for insulin resistance in the horse: A comparative multi-species review. The Veterinary Journal. 2010;186:282-291.

Treiber KH, Boston RC, Geor RJ, Hess TM, Harris PA, Kronfeld DS. Single-injection glucose kinetics with compartmental modelling during rest and low-intensity exercise in horses. Equine Veterinary Journal.2010;42(SUPPL. 38):361-369.

Urschel KI, Geor RJ, Harris PA. Defining amino acid requirements in horses: Application of the indicator amino acid oxidation technique. Journal of Animal Science.2010;88:E-supplement 2 no 354.



Von Holdt BM, Pollinger JP, Lohmueller KE, Han E, Parker HG, Quignon P, *et al.* Genome-wide SNP and haplotype analyses reveal a rich history underlying dog domestication. Nature. 2010;464(7290):898-902.

Wedl M, Schöberl I, Bauer B, Day J, Kotrschal K. Relational factors affecting dog social attraction to human partners. Interaction Studies.2010;11(3):482-503.

Westgarth C, Heron J, Ness AR, Bundred P, Gaskell RM, Coyne KP, *et al.* Family pet ownership during childhood: Findings from a UK birth cohort and implications for public health research. International Journal of Environmental Research and Public Health.2010;7(10):3704-3729.

2009

Balagiannis DP, Parker JK, Pyle DL, Desforges N, Wedzicha BL, Mottram DS. Kinetic modeling of the generation of 2- and 3- methylbutanal in a heated extract of beef liver. Journal of Agricultural and Food Chemistry.2009;57(21):9916-9922.

Barnes A, O'Neill T, Kennedy LJ, Short AD, Catchpole B, House A, *et al.* Association of canine anal furunculosis with TNFA is secondary to linkage disequilibrium with DLA-DRB1*. Tissue Antigens.2009;73:218-224.

Berhane Y, Putignano C, Morris G, Zerpa H, Crawford C, Harris P, *et al.* Amine metabolism by semicarbazide-sensitive amine oxidase modulates endothelial cell function of equine digital vessels. Journal of Veterinary Pharmacology Therapy.2009;32(SUPPL. 1):78-9.

Carter RA, Geor RJ, Burton Staniar W, Cubitt TA, Harris PA. Apparent adiposity assessed by standardised scoring systems and morphometric measurements in horses and ponies. Veterinary Journal.2009;179(2):204-210.

Carter RA, Treiber KH, Geor RJ, Douglass L, Harris PA. Prediction of incipient pasture-associated laminitis from hyperinsulinaemia, hyperleptinaemia and generalised and localised obesity in a cohort of ponies. Equine Veterinary Journal.2009;41(2):171-178.

Cerundolo R, Michel KE, Court MH, Shrestha B, Refsal KR, Oliver JW, *et al.* Effects of dietary soy isoflovones on health, steroidogenesis, and thyroid gland function in dogs. American Journal of Veterinary Research.2009;70(3):353-360.

Clutterbuck AL, Asplin KE, Harris P, Allaway D, Mobasheri A. Targeting matrix metalloproteinases in inflammatory conditions. Current Drug Targets.2009;10(12):1245-1254.

Clutterbuck AL, Mobasheri A, Shakibaei M, Allaway D, Harris P. Interleukin-1β-induced extracellular matrix degradation and glycosaminoglycan release is inhibited by curcumin in an



explant model of cartilage inflammation. Annals of the New York Academy of Sciences.2009;1171:428-435.

Conrad F, Rade C. Urolithiasis in dogs and cats. Kleintierpraxis.2009;54(3):182-185.

Day JEL, Kergoat S, & Kotrschal K. Do pets influence the quantity and choice of food offered to them by their owners: Lessons from other animals and the pre-verbal human infant? CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources.2009;4(042):1-12.

Ellis JL, Thomason J, Kebreab E, Zubair K, France J. Cranial dimensions and forces of biting in the domestic dog. Journal of Anatomy.2009;214(3):362-373.

Fleeman LM, Rand JS, Markwell PJ. Lack of advantage of high-fibre, moderate-carbohydrate diets in dogs with stabilised diabetes. Journal of Small Animal Practice.2009;50(11):604-614.

Geor RJ, Harris P. Dietary management of obesity and insulin resistance: Countering risk for laminitis. Veterinary Clinics of North America - Equine Practice. 009;25(1):51-65.

George LA, Staniar WB, Treiber KH, Harris PA, Geor RJ. Insulin sensitivity and glucose dynamics during pre-weaning foal development and in response to maternal diet composition. Domestic Animal Endrocrinology.2009;37(1):23-29.

German AJ, Hervera M, Hunter L, Holden SL, Morris PJ, Biourge V, *et al.* Improvement in insulin resistance and reduction in plasma inflammatory adipokines after weight loss in obese dogs. Domestic Animal Endocrinology.2009;37(4):214-226.

German AJ, Holden SL, Bissot T, Morris PJ, Biourge V. Use of starting condition score to estimate changes in body weight and composition during weight loss in obese dogs. Research in Veterinary Science.2009;87(2):249-254.

Harris P. Feeding management of elite endurance horses. Veterinary Clinics of North America - Equine Practice.2009;25(1):137-153.

Hernot DC, Nery J, Biourge VC, Martin LJ, Dumon HJ, Nguyen PG. Colonic permeability is higher in Great Danes compared with smaller breed-dogs. Journal of Animal Physiology and Animal Nutrition.2009;93(6):703-709.

Hoffmann G, Jones PG, Biourge V, van den Ingh TSGAM, Mesu SJ, Bode P, *et al.* Dietary management of hepatic copper accumulation in Labrador retrievers. Journal of Veterinary Internal Medicine.2009;23(5):957-963.



Jepson RE, Brodbelt D, Vallance C, Syme HM, Elliott J. Evaluation of predictors of the development of azotemia in cats. Journal of Veterinary Internal Medicine. 2009;23:806-813.

Larcombe SD, Coffey JS, Bann D, Alexander L, Arnold KE. Impacts of dietary antioxidants and flight training on post-exercise oxidative damage in adult parrots. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology.2009;155(1):49-53.

Lindenberg J, Rade C, Tzoneva S. Weight reduction diet on trial: Practical tests in 37 cats. Kleintierpraxis.2009;54(11):668-670.

Luthersson N, Hou Nielsen K, Harris P, Parkin TDH. Risk factors associated with equine gastric ulceration syndrome (EGUS) in 201 horses in Denmark. Equine Veterinary Journal.2009;41(7):625-630.

Luthersson N, Nielsen KH, Harris P, Parkin TDH. The prevalence and anatomical distribution of equine gastric ulceration syndrome (EGUS) in 201 horses in Denmark. Equine Veterinary Journal.2009;41(7):619-624.

Parker HG, VonHoldt BM, Quignon P, Margulies EH, Shao S, Mosher DS, *et al.* An expressed Fgf4 retrogene is associated with breed-defining chondrodysplasia in domestic dogs. Science.2009;325(5943):995-998.

Penesyan A, Marshall-Jones Z, Holmstrom C, Kjelleberg S, Egan S. Antimicrobial activity observed among cultured marine epiphytic bacteria reflects their potential as a source of new drugs: Research article. FEMS Microbiology Ecology.2009;69(1):113-124.

Plews AG, Atkinson A, McGrane S. Discriminating structural characteristics of starch extrudates through X-ray micro-tomography using a 3-D watershed algorithm. International Journal of Food Engineering.2009;5(1):Article 11.

Plews AG, Atkinson A, Trampe T, McGrane S. Control of porosity and expansion in starch extrusion by monitoring pressure at die outlet. Journal of Cellular Plastics.2009;45:67-82.

Short AD, Catchpole B, Kennedy LJ, Barnes A, Lee AC, Jones CA, *et al.* T cell cytokine gene polymorphisms in canine diabetes mellitus. Veterinary Immunology and Immunopathology.2009;128(1-3):137-146.

Sutton S, Clutterbuck A, Harris P, Gent T, Freeman S, Foster N, *et al.* The contribution of the synovium, synovial derived inflammatory cytokines and neuropeptides to the pathogenesis of osteoarthritis. Veterinary Journal.2009;179:10-24.



van Hoek IM, Lefebvre HP, Paepe D, Croubels S, Biourge V, Daminet S. Comparison of plasma clearance of exogenous creatinine, exo-iohexol, and endo-iohexol over a range of glomerular filtration rates expected in cats. Journal of Feline Medicine and Surgery.2009;11(12):1028-1030.

2008

Baron M, Davies S, Alexander L, Snellgrove D, Sloman KA. The effect of dietary pigments on the coloration and behaviour of flame-red Dwarf Gourami, *colisa lalia*. Animal Behaviour.2008;75:1041-1051.

Calboli FCF, Sampson J, Fretwell N, Balding DJ. Population structure and inbreeding from pedigree analysis of purebred dogs. Genomics.2008;179:593-601.

German AJ, Holden S, Bissot T, Morris PJ, Biourge V. Changes in body composition during weight loss in obese client-owned cats: Loss of lean tissue mass correlates with overall percentage of weight lost. Journal of Feline Medicine & Surgery.2008;10(5):452-459.

Hess TM, Greiwe-Crandell KM, Waldron JE, Williams CA, Lopes MA, Gay LS, Harris PA, Kronfield DS. Potassium-free electrolytes and calcium supplementation in an endurance race. Comparative Exercise Physiology.2008;5(1):33–41.

Hoffmann G, Heuven HCM, Leegwater PAJ, Jones PG, van Den Ingh TSGAM, Bode P, *et al.* Heritabilities of copper-accumulating traits in Labrador Retrievers. Animal Genetics.2008;39:454-458.

Jepson RE, Syme HM, Vallance C, Elliott J. Plasma asymetric dimethylarginine, symmetric dimethylarginine, L-arginine, and nitrite/nitrate concentrations in cats with chronic kidney disease and hypertension. Journal of Veterinary Internal Medicine.2008;22:317-24.

Jones P, Chase K, Martin A, Davern P, Ostrander EA, Lark KG. Single-nucleotide-polymorphism-based association mapping of dog stereotypes. The Genetics Society of America.2008;179June:1033-1044.

Kennedy LJ, O'Neill T, House A, Barnes A, Kyöstilä K, Innes J, *et al.* Risk of anal furunculosis in German Shepherd dogs is associated with the major histocompatibility complex. Tissue antigens.2008 Jan;71(1):51-56.

Larcombe SD, Tregaskes CA, Coffey JS, Stevenson S, Alexander L, Arnold KE. The effects of short-term antioxidant supplementation on oxidative stress and flight performance in adult budgerigars melopsittacus undulatus. Journal of Experimental Biology.2008;211:2859-2864.

Mao M, Danzart M. Multi-response optimisation strategies for targeting a profile of product attributes with an application on food data. Food Quality and Preference.2008;19(2):162-173.



Mao M, Danzart M. How to select the best subset of factors maximizing the quality of multi-response optimization. Quality Engineering.2008;20(1):63-74.

McCune S, Stevenson J, Fretwell L, Thompson A, Mills DS. Ageing does not significantly affect performance in a spatial learning task in the domestic cat (*felis silvestris catus*). Applied Animal Behaviour Science.2008;112(3-4):345-356.

Merryman-Simpson AE, Wood SH, Fretwell N, Jones PG, McLaren WM, McEwan NA, Clements DN, Carter SD, Ollier WE, Nuttall T. Gene (mNRA) expression in canine atopic dermatitis: microarray analysis. Veterinary Dermatology. 2008;19(2):59-66.

Noble GK, Brockwell YM, Munn KJ, Harris PA, Davidson HPB, Li X, *et al.* Effects of a commercial dose of L-tryptophan on plasma tryptophan concentrations and behaviour in horses. Equine Veterinary Journal.2008;40(1):51-56.

Ryan VH, German AJ, Wood IS, Hunter L, Morris P, Trayhurn P. NGF gene expression and secretion by canine adipocytes in primary culture: Upregulation by the inflammatory mediators LPS and TNFα. Hormone and Metabolic Research.2008;40(12):861-868.

Ryan VH, German AJ, Wood IS, Hunter L, Morris P, Trayhurn P. Gene (mRNA) expression in canine atopic dermatitis: Microarray analysis. Veterinary Dermatology.2008 April;19(2):59-66.

Spooner HS, Nielsen BD, Woodward AD, Rosenstein DS, Harris PA. Endurance training has little impact on mineral content of the third metacarpus in two-year-old Arabian horses. Journal of Equine Veterinary Science.2008;28(6):359-362.

Treiber KH, Geor RJ, Boston RC, Hess TM, Harris PA, Kronfeld DS. Dietary energy source affects glucose kinetics in trained Arabian geldings at rest and during endurance exercise. Journal of Nutrition.2008;138(5):964-970.

2007

Bailey SR, Menzies-Gow NJ, Harris PA, Habershon- Butcher JL, Crawford C, Berhane Y, *et al.* Effect of dietary fructans and dexamethasone administration on the insulin response of ponies predisposed to laminitis. Journal of the American Veterinary Medical Association.2007;231:1365–1373.

Clarke E. Mineral nutrition for budgerigars. The Budgerigar.2007(September/October):10-12.

Clarke E, Wilkinson J, Stevenson AE, Kyriazakis I, Alexander L. Feeding behaviour and diet selection in budgerigars and zebra finches. British Poultry Science.2007;3(1):18-20.



Crawford C, Sepulveda MF, Elliott J, Harris PA, Bailey SR. Dietary fructan carbohydrate increases amine production in the equine large intestine: Implications for pasture- associated laminitis. Journal of Animal Sciences.2007;85:2949–2958.

Cubitt TA, Stanier WB, Kronfeld DS, Byrn BM, Harris P. Environmental effects on nutritive value of equine pastures. Pferdeheilkunde.2007;23:151-154.

Dekker H, Marlin D, Alexander L, Bishop R, Harris PA. A pilot study investigating the relationship between perceived and actual workload and estimated energy intake in riding centre horses. Equine and Comparative Exercise Physiology.2007;4(1):7-14.

Goodwin D, Davidson HP, Harris P. Responses of horses offered a choice between stables containing single or multiple forages. Veterinary Record.2007 Apr 21;160(16):548-551.

Goodwin D, Davidson HPB, Harris P. A note on behaviour of stabled horses with foraging devices in mangers and buckets. Applied Animal Behaviour Science.2007;105:238-243.

Harris PA. Recommandations nutritionnelles pour une croissance optimale du poulain. Pratique Veterinaire Equine.2007;39:57-66.

Harris PA. How should we feed horses - and how many times a day? Veterinary Journal.2007 Jan;173(1):9-10.

Harris PA, Marlin D, Davidson H, Rodgerson J, Gregory A, Harrison D. Practical assessment of heart rate response to exercise under field conditions. Equine and Comparative Exercise Physiology.2007;4(1):15-21.

Hess TM, Kronfeld DS, Treiber KH, Crandell KE, Waldron JN, Williams CA, *et al.* Fat adaptation affects insulin sensitivity and elimination of horses during an 80 km endurance ride. Pferdeheilkunde 23.2007;3(May/June):241-246.

Holmes KL, Morris PJ, Abdulla Z, Hackett R, Rawlings JM. Risk factors associated with excess body weight in dogs in the UK. Journal of Animal Physiology and Animal Nutrition.2007;91:166-7.

Mermet N, Coureaud G, McGrane S, Schaal B. Odour-guided social behaviour in newborn and young cats: An analytical survey. Chemoecology.2007;17:187-199.

Robertson WG, Stevenson AE. Methods of measuring the crystallization potential of urine - RSS vs APR. Veterinary Focus.2007;17(1):37-40.



Ryan V, German AJ, Wood S, Hackett R, Rawlings J, Trayhurn P. Expression of inflammation-related adipokines by canine adipocytes differentiated in primary cell culture: Response to TNF-alpha. International Journal of Obesity.2007(31):S52.

Short AD, Catchpole B, Kennedy LJ, Barnes A, Fretwell N, Jones C, *et al.* Analysis of candidate susceptibility genes in canine diabetes. Journal of Heredity.2007;9(5):518-525.

Short AD, Kennedy LJ, Barnes A, Fretwell N, Jones C, Thomson W, *et al.* Hardy-Weinberg expectations in canine breeds: Implications for genetic studies. Journal of Heredity.2007;98(5):445-451.

Staniar WB, Cubitt TA, George LA, Harris P, Geor RJ. Glucose and insulin responses to different dietary energy sources in thoroughbred broodmares grazing cool season pasture. Livestock Science. 2007;111(1-2):164-171.

Staniar WB, Kronfeld DS, Akers RM, Harris P. Insulin-like growth factor I in growing thoroughbreds. Journal of Animal Physiology and Animal Nutrition. 2007;91(9-10):390-399.

Sutter NB, Bustamante CD, Chase K, Gray MM, Zhao K, Zhu L, et al. A single IGF1 allele is a major determinant of small size in dogs. Science.2007;316(5821):112-115.

Viant MR, Ludwig C, Rhodes S, Gunther UL, Allaway D. Validation of a urine metabolome fingerprint in dog for phenotypic classification. Metabolomics.2007;3(4):453-463.

Wilson AD, Badnell-Waters AJ, Bice R, Kelland A, Harris P, Nicol C. The effects of diet on blood glucose, insulin, gastrin and the serum tryptophan: Large neutral amino acid ratio in foals. The Veterinary Journal.2007;174:139-146.

2006

Campbell DJ, Heaton P, Pritchard D, Strain JJ, Rawlings JM, Hannigan BM. Assessment of ex vivo responses to T-cell mitogens and oxidative stress in lymphocytes from healthy adult and senior cats. Journal of Nutrition.2006;136(7S):2084S-2086S.

Clarke E. The role of nutrition in budgerigar breeding. The Budgerigar.2006;November/December:4-6.

Cooper MP, Fretwell N, Bailey SJ, Lyons LA. White spotting in the domestic cat (*felis catus*) maps near KIT on feline chromosome B1. Animal Genetics.2006;37(2):163-165.

Deaton CM, Marlin DJ, Deaton L, Smith NC, Harris PA, Schroter RC, *et al.* Comparison of the antioxidant status in tracheal and bronchoalveolar epithelial lining fluids in recurrent airway obstruction. Equine Veterinary Journal.2006 Sep;38(5):417-422.



Elliott DR, Wilson M, Buckley CMF, Spratt DA. Aggregative behavior of bacteria isolated from canine dental plaque. Applied and Environmental Microbiology.2006;72(8):5211-5217.

Freeman LM, Rush JE, Markwell PJ. Effects of dietary modification in dogs with early chronic valvular disease. Journal of Veterinary Internal Medicine.2006 Sep-Oct;20(5):1116-1126.

Fretwell L, McCune S, Fone J, Yates D. The effect of supplementation with branched-chain amino acids on cognitive function in active dogs. Journal of Nutrition.2006;136(7S):2069S-2071S.

German AJ, Holden SL, Moxham G, Holmes K, Hackett R, Rawlings JM. A simple, reliable tool for owners to assess the body condition of their dog or cat. Journal of Nutrition.2006;136(7S):2031S-2033S.

Harris PA. Countermeasures for pasture associated laminitis. Pferdeheilkunde 22.2006;October:588-591.

Harris PA. Feeding before exercise and competition in the performance horse. Pferdeheilkunde 22.2006;October:542-548.

Harris PA, Bailey SJ, Elliott J, Longland AC. Countermeasures for pasture-associated laminitis in ponies and horses. Journal of Nutrition.2006;136(7S):2114S-2121S.

Harris RC, Harris PA, Routledge NBH, Naylor JRJ, Wilson A. Plasma glutamine concentrations in the horse following feeding and oral glutamine supplementation. Equine Exercise Physiology 7 - Equine Veterinary Journal Supplement.2006;September:36.

Hess TM, Kronfeld DS, Carter RA, Trieber K, Byrd BM, Staniar WB, et al. Does usefulness of potassium supplementation depend on speed? Equine Exercise Physiology 7 - Equine Veterinary Journal Supplement.2006;36:74-79.

Li X, Li W, Wang H, Bayley DL, Cao J, Reed D, et al. Cats lack a sweet taste receptor. Journal of Nutrition.2006;136(7S):1932S-1934S.

Lyons LA, Bailey SJ, Baysac KC, Byrns G, Erdman CA, Fretwell N, et al. The tabby cat locus maps to feline chromosome B1. Animal Genetics.2006;37(4):383-386.

Marshall-Jones ZV, Baillon ML, Croft J, Butterwick RF. Effects of *lactobacillus acidophilus* DSM13241 as a probiotic in healthy adult cats. American Journal of Veterinary Research.2006;67(6):1005-1012.



Montoya JA, Morris P, Bautista I, Juste MC, Suarez L, Pena C, et al. Hypertension: A risk factor associated with weight status in dogs. Journal of Nutrition.2006;136(7S):2011S-2013S.

Morris P, Calvert E, Holmes K, Hackett R, Rawlings JM. Energy intake in cats as affected by alterations in diet energy density. Journal of Nutrition.2006;136(7S):2072S-2074S.

Priestley SM, Stevenson AE, Alexander L. The influence of feeding frequency on growth and body condition of the common goldfish (*carassius auratus*). Journal of Nutrition.2006;136(7S):1979S-1981S.

Priestley SM, Stevenson AE, Alexander L. Growth rate and body condition in relation to group size in black widow tetras (*gymnocorymbus ternetzi*) and common goldfish (*carassius auratus*). Journal of Nutrition.2006;136(7S):2078S-2080S.

Priestley SM, Stevenson AE, Hawthorne AJ, Alexander L. Methods for predicting food allowance from body length in tropical and temperate ornamental fish species. Journal of Nutrition.2006;136(7S):2081S-2083S.

Raffan E, Holden SL, Cullingham F, Hackett R, Rawlings JM, German AJ. Standardized positioning is essential for precise determination of body composition using dual-energy x-ray absorptiometry in dogs. Journal of Nutrition.2006;136(7S):1976S-1978S.

Syme HM, Markwell P, Pfeiffer D, Elliott J. Survival of cats with naturally occurring chronic renal failure is related to severity of proteinuria. Journal of Veterinary Internal Medicine.2006;20(3):528-535.

Treiber KH, Hess TM, Kronfeld DS, Boston RC, Geor R, Friere M, *et al.* Glucose dynamics during exercise: Dietary energy sources affect minimal model parameters in trained Arabian geldings during endurance exercise. Equine Exercise Physiology 7 - Equine Veterinary Journal Supplement.2006;36:631-636.

Watson A, Fray T, Bailey J, Baker C, Beyer S, Markwell P. Dietary constituents are able to play a beneficial role in canine epidermal barrier function. Experimental Dermatology.2006;15:74-81.

Yoo S, Ramsey JJ, Havel PJ, Jones PG, Fascetti AJ. Resting energy expenditure and body composition of Labrador Retrievers fed high fat and low fat diets. Journal of Animal Physiology and Animal Nutrition.2006;90(5-6):185-191.

2005

Blount D, Pritchard D, Heaton PR. Age-related alterations to immune parameters in Labrador Retriever dogs. Veterinary Immunology and Immunopathology.2005;108:399-407.



Brown WY, McGenity P. Effective periodontal disease control using dental hygiene chews. Journal of Veterinary Dentistry.2005;22(1):16-19.

Campbell TE, Harris PA, Doughty HC, Sillence M. Effect of chaff quantity and length on rate of intake in horses fed a concentrate diet. Asia Pacific Journal of Clinical Nutrition.2005;14(Suppl):S80.

Clarke D, Wrigglesworth DJ, Holmes K, Hackett R, Michel K. Using environmental enrichment to facilitate feline weight loss. Journal of Animal Physiology and Animal Nutrition.2005;89:427.

Cooper JJ, Mcall N, Johnson S, Davidson H. The short-term effects of increasing meal frequency on stereotypic behaviour of stabled horses. Applied Animal Behaviour Science. 2005 Mar 2005;90(3-4):351-64.

Crawford C, Dobson A, Bailey SR, Harris PA, Elliott J. Extraction and characterisation of tyrosine decarboxylase from equine caecal lactobacillus spp. Research in Veterinary Science. 2005;78(Suppl A):46.

Cuff TL, Williams RJ, Deaton C, Smith NC, Davies BD, Davies-Morel MCG, Marlin DJ, Harris PA. Changes in plasma cortisol and ascorbic acid in horses with and without recurrent airway obstruction upon exercise and ascorbic acid supplementation. Equine and Comparative Exercise Physiology.2005;2(2):105-112.

Deaton C, Marlin D, Smith NC, Harris PA, Dagleish MP, Schroter RC, Kelly FJ. Effect of acute airway inflammation on the pulmonary antioxidant status. Experimental Lung Research.2005;31:653-670.

Deaton CM, Marlin D, Smith NC, Roberts C, Harris PA, Schroter RC, Kelly FJ. Antioxidant and inflammatory responses of healthy horses and horses affected by recurrent airway obstruction to inhaled ozone. Equine Veterinary Journal.2005;37(3):243-249.

Elliott D, Wilson M, Buckley CM, Spratt DA. Cultivable oral microbiota of domestic dogs. Journal of Clinical Microbiology.2005;43(11):5470-5476.

Forman OP, Boursnell ME, Dunmore BJ, Stendall N, van den Sluis B, Fretwell N, Jones C, Wijmenga C, Rothuizen J, van Oost BA, Holmes NG, Binns MM, Jones P. Characterization of the COMMD1 (MURR1) mutation causing copper toxicosis in Bedlington terriers. Animal Genetics.2005;36(6):497-501.

Goodwin D, Davidson H, Harris PA. Sensory varieties in concentrate diets for stabled horses: Effects on behaviour and selection. Applied Animal Behaviour Science.2005;90(3-4):337-349.

Goodwin D, Davidson H, Harris PA. Selection and acceptance of flavours in concentrate diets for stabled horses. Applied Animal Behaviour Science.2005;95:223-232.



Grahn RA, B.M.Lemesch, Millon LV, Matise T, Rogers QR, Morris JG, Fretwell N, Bailey SJ, Batt RM, Lyons LA. Localizing the X-linked orange colour phenotype using feline resource families. Animal Genetics.2005;36:67-70.

Harris PA. Nutrition, behaviour and the role of supplements for calming horses: The veterinarian's dilemma. The Veterinary Journal.2005;170(1):10-11.

Harris PA, Harris RC. Ergogenic potential of nutritional strategies and substances in the horse. Livestock Production Science.2005;92:147-165.

Heaton MA. Rapid screening for feline odontoclastic resorptive lesions. Cats Protection Newsletter, 2005:6.

Heaton PR, Umesh KG, Hawthorne AJ. A comparison of home-prepared diets for adult dogs in India to national research council guidelines: Assessment of nutritional adequacy. Compendium on Continuing Education for the Practising Veterinarian.2005;27:90.

Hess TM, Kronfeld DS, Williams CA, Waldron JN, Graham-Thiers PM, Greiwe-Crandell K, Lopes MA, Harris PA. Effects of oral potassium supplementation on acid-base status and plasma ion concentrations of horses during endurance exercise. American Journal of Veterinary Research.2005;66(3):466-473.

Hill RC, Lewis D, Randell SC, Scott KC, Omori M, Sunderstrom D, Jones GL, Speakman JR, Butterwick RF. Effect of mild restriction of food intake on the speed of racing greyhounds. American Journal of Veterinary Research.2005;66(6):1065-1070.

Jones CJP, Champion EE, Glazier JD, Greenwood SL, Rawlings JM, Sibley CP. Ultrastructural aspects of long-term cat placental explant culture. Placenta.2005;26:585-589.

Kennedy LJ, Quarmby S, Fretwell N, Martin AJ, Jones PG, Jones CA, Ollier WER. High-resolution characterization of the canine DLA-DRBI locus using reference strand-mediated conformational analysis. Journal of Heredity.2005;96(7):836-842.

Lawson PA, Greetham HL, Gibson GR, Giffard CJ, Falsen E, Collins MD. Slackia faecicanis sp. nov., isolated from canine faeces. International Journal of Systematic and Evolutionary Microbiology.2005;55:1243-1246.

Li X, Li W, Wang H, Cao J, Maehashi K, Huang L, Bachmanov AA, Reed DR, Legrand-Defretin V, Beauchamp GK, Brand JG. Pseudogenization of a sweet-receptor gene accounts for cats' indifference toward sugar. PLoS Genetics.2005 July 2005;1(1):1-9.



Nicol C, Badnell-Waters A, Bice R, Kelland A, Wilson A, Harris PA. The effect of diet and weaning method on the behaviour of young horses. Applied Animal Behaviour Science.2005;95(3-4):205-221.

Noble GK, Munn K, Brockwell YM, Austin HE, Harris PA, Davidson HPB, Zhang D, Li X, Cao M, Bryden WL, Sillence MN. Do commercial tryptophan pastes elevate plasma tryptophan concentrations in horses? Asia Pacific Journal of Clinical Nutrition.2005;14(Suppl):S62.

Olczak J, Jones BR, Pfeiffer DU, Squires RA, Morris RS, Markwell P. Multivariate analysis of risk factors for feline hyperthyroidism in New Zealand. New Zealand Veterinary Journal.2005;53(1):53-58.

Peters I, Helps C, Calvert E, Hall EJ, Day M. Cytokine mRNA quantification in histologically normal canine duodenal mucosa by real-time RT-PCR. Veterinary Immunology and Immunopathology.2005;103:101-111.

Peters IR, Helps C, Calvert E, Hall EJ, Day M. Measurement of messenger RNA encoding the achain, polymeric immunoglobulin receptor, and j-chain in duodenal mucosa from dogs with and without chronic diarrhea by use of quantitative real-time reverse transcription-polymerase chain reaction assays. American Journal of Veterinary Research.2005;66(1):11-16.

Rush JE, Freeman LM, Markwell P. Cardiovascular effects of dietary modification in early canine chronic valvular disease. Journal of Veterinary Internal Medicine.2005;19:452.

Short AD, Kennedy LJ, Forman O, Barnes A, Fretwell N, Wiggall R, Thomson W, Ollier WER. Canine DNA subjected to whole genome amplification is suitable for a wide range of molecular applications. Journal of Heredity.2005;96(7):829-835.

Thorne JB, Goodwin D, Kennedy MJ, Davidson H, Harris PA. Foraging enrichment for individually housed horses: Practicality and effects on behaviour. Applied Animal Behaviour Science.2005;94:149-164.

Treiber KH, Boston RC, Kronfeld DS, Staniar WB, Harris PA. Insulin resistance and compensation in thoroughbred weanlings adapted to high-glycemic meals. Journal of Animal Science.2005;83:2357-2364.

Trieber K, Hess TM, Kronfeld DS, Boston RC, Geor R, Harris PA. Dietary energy sources affect insulin sensitivity and beta-cell responsiveness of trained Arabian geldings during endurance exercise. Journal of Animal Physiology and Animal Nutrition.2005;89:429-430.

Trieber K, Kronfeld DS, Hess TM, Boston RC, Harris PA. Use of proxies and reference quintiles obtained from minimal model analysis for determination of insulin sensitivity and pancreatic beta-cell responsiveness in horses. American Journal of Veterinary Research.2005;66(12):1-8.

2004

Baillon ML, Marshall-Jones ZV, Butterwick RF. Effects of probiotic lactobacillus acidophilus strain DSM13241 in healthy adult dogs. American Journal of Veterinary



Research.2004;65(3):338-343.

Berhane Y, Bailey SR, Harris P, Griffiths MJ, Elliott J. In vitro and in vivo studies of homocysteine in equine tissues: Implications for the pathophysiology of laminitis. Equine Veterinary Journal.2004;36:279-284.

Bierer TL, Bui LM. High-protein low-carbohydrate diets enhance weight loss in dogs. Journal of Nutrition.2004;134(8S):2087S-2089S.

Blount DG, Heaton PR, Pritchard DI. Changes to levels of DNA damage and apoptotic resistance in peripheral blood mononuclear cells and plasma antioxidant potential with age in Labrador Retriever dogs. Journal of Nutrition.2004;134(8S):2120S-2123S.

Campbell DJ, Rawlings JM, Heaton PR, Blount DG, Pritchard DI, Strain JJ, *et al.* Insulin-like growth factor-I (IGF-I) and its association with lymphocyte homeostasis in the ageing cat. Mechanisms of Ageing and Development.2004;125:497-505.

Campbell DJ, Rawlings JM, Koelsch S, Wallace J, Strain JJ, Hannigan BM. Age-related differences in parameters of feline immune status. Veterinary Immunology and Immunopathology.2004;100:73-80.

Dann JR, Adler MA, Duffy KL, Giffard CJ. A potential nutritional prophylactic for the reduction of feline hairball symptoms. Journal of Nutrition.2004;134(8S):2124S-2126S.

Deaton C, Marlin D, Smith NC, Harris P, Roberts C, Schroter RC, et al. Pulmonary epithelial lining fluid and plasma ascorbic acid concentrations in horses affected by recurrent airway obstruction. American Journal of Veterinary Research.2004;65(1):80-87.

Deaton CM, Marlin DJ, Smith NC, P.A. H, Schroter RC, Kelly FJ. Antioxidant supplementation in horses affected by recurrent airway obstruction. Journal of Nutrition.2004;134(8S):2065S-2067S.

Deaton CM, Marlin DJ, Smith NC, Smith KC, Newton RJ, Gower SM, *et al.* Breath condensate hydrogen peroxide correlates with both airway cytology and epithelial lining fluid ascorbic acid concentration in the horse. Free Radical Research.2004;38(2):201-208.

DeLaurier A, Jackson B, Pfeiffer D, Ingham K, Horton MA, Price JS. A comparison of methods for measuring serum and urinary markets of bone metabolism is cats. Research in Veterinary Science.2004;77:29-39.

Fekete SG, Hullar I, Andrasofszky E, Kelemen F. Effect of different fibre types on the digestibility of nutrients in cats. Journal of Animal Physiology and Animal Nutrition.2004;88(3-4):138-142.

Fray TR, Watson AL, Croft J, Baker CD, Bailey J, Sirel N, et al. A combination of aloe vera, curcumin, vitamin C, and taurine increases canine fibroblast migration and decreases tritiated



water diffusion across canine keratinocytes in vitro. Journal of Nutrition.2004;134(8S):2117S-2119S.

Giffard CJ, Seino MM, Markwell P, Bektash RM. Benefits of bovine colostrum on fecal quality in recently weaned puppies. Journal of Nutrition.2004;134(8S):2126S-2128S.

Hawthorne AJ, Booles DB, Nugent P, Gettinby G, Wilkinson J. Body-weight changes during growth in puppies of different breeds. Journal of Nutrition.2004;134(8S):2027S-2030S.

Hawthorne AJ, Markwell P. Dietary sodium promotes increased water intake and urine volume in cats. Journal of Nutrition.2004;134(8S):2128S-2129S.

Hawthorne A. Breed-specific variations in puppies growth patterns. WALTHAM Focus.2004;14(3):23-27.

Heaton MA, Wilkinson J, Gorrel C, Butterwick RF. A rapid screening technique for feline odontoclastic resorptive lesions. Journal of Small Animal Practice.2004;45:598-601.

Kronfeld DS, Holland JL, Rich GA, Meacham TN, Fontenot JP, Sklan DJ, *et al.* Fat digestibility in equus caballus follows increasing first-order kinetics. Journal of Animal Science.2004;82:1773-1780.

Marlin DJ, Johnson L, Kingston DA, Smith NC, Deaton CM, Mann S, *et al.* Application of the comet assay for investigation of oxidative DNA damage in equine peripheral blood mononuclear cells. Journal of Nutrition.2004;134(8S):2133S-2140S.

Peters IR, Calvert EL, Hall EJ, Day MJ. Measurement of immunoglobulin concentrations in the feces of healthy dogs. Clinical and Diagnostic Laboratory Immunology.2004;11:841-848.

Staniar WB, Kronfeld DS, Hoffman RM, Wilson JA, Harris PA. Weight prediction from linear measures of growing thoroughbreds. Equine Veterinary Journal.2004;36:149-154.

Staniar WB, Kronfeld DS, Treiber KH, Splan RK, Harris PA. Growth rate consists of baseline and systematic deviation components in thoroughbreds. Journal of Animal Science.2004;82:1007-1015.

Stevenson AE, Blackburn JM, Markwell PJ, Robertson WG. Nutrient intake and urine composition in calcium oxalate stone-forming dogs: Comparison with healthy dogs and impact of dietary modification. Veterinary Therapeutics.2004;5(3):218-231.

Ugarte C, Guildford WG, Markwell P, Lupton E. Carbohydrate malabsorption is a feature of feline inflammatory bowel disease but does not increase clinical gastrointestinal signs. Journal of Nutrition.2004;134(8S):2068S-2071S.



Watson A, Baker C, Bailey JB, Fray T, Markwell P. A high yield method for growing primary canine keratinocytes. The Veterinary Journal.2004;168:81-86.

Williams CA, Kronfeld DS, Hess TM, Saker KE, Waldron JN, Crandell K, *et al.* Antioxidant supplementation and subsequent oxidative stress of horses during an 80-km endurance race. Journal of Animal Science.2004;82(2):588-594.

Williams DL, Heath MF, Wallis C. Prevalence of canine cataract: Preliminary results of a cross-sectional study. Veterinary Ophthalmology.2004;7(1):29-35.

Wrigglesworth DJ. Antioxidants and aging in companion animal nutrition. Bull. Acad. Vet. France.2004;157(1):87-91.

Yates D. How to raise a puppy to be a happy, obedient dog (or helping your clients raise better patients). WALTHAM Focus.2004;14(3):10-12.

2003

Bailey SR, Baillon ML, Rycroft AN, Harris PA, Elliott J. Identification of equine cecal bacteria producing amines in an in vitro model of carbohydrate overload. Applied and Environmental Microbiology. 2003;69(4):2087-93.

Campbell DJ, Rawlings JM, Heaton PR, Wiggall R, Pritchard DI, Strain JJ, *et al.* Age-associated alterations in the kinetics of the primary immune response to rabies vaccination in healthy senior cats. ACVIM. 2003.

Champion EE, Glazier JD, Greenwood SL, Mann SJ, Rawlings JM, Sibley CP, et al. Localization of alkaline phosphatase and Ca2+ - ATPase in the cat placenta. Placenta. 2003;24:453-61.

Deaton CM, Marlin DJ, Smith NC, Roberts CA, Harris PA, Kelly FJ, *et al.* Pulmonary bioavailability of ascorbic acid in an ascorbate-synthesising species, the horse. Free Radical Research. 2003;37(4):461-467.

Eastwood JM, Elwood CM, Hurley KJ. Trilostane treatment of a dog with functional adrenocrtical neoplasia. Journal of Small Animal Practice. 2003 March;44:126-31.

Elliott D. The dog with calcium oxalate urolithiasis. WALTHAM Focus. 2003;13(2):2-3.

Elliott D. The case of the stranguric cat. WALTHAM Focus. 2003;13(2):16-20.



Elliott D. "Obesity", in small animal internal medicine. In: Nelson R, Guillermo C, editors. Third ed. Mosby, C.V; 2003.

Elliott J, Syme HM, Markwell P. Acid-base balance of cats with chroninc renal failure: Effect of deterioration in renal function. Journal of Small Animal Practice. 2003;44:261-8.

Elliott J, Syme HM, Reubens E, Markwell PJ. Assessment of acid-base status of cats with naturally occurring chronic renal failure. Journal of Small Animal Practice. 2003 February;44:65-70

Fleeman LM, Rand JS, Markwell PJ. Diets with high fiber and moderate starch are not advantageous for dogs with stabilized diabetes compared to a commercial diet with moderate fiber and low starch. ACVIM. 2003;17(3):433.

Freeman LM, Rush JE, Cahalane MA, Kaplan PM, Markwell PJ. Evaluation of dietary patterns in dogs with cardiac disease. Journal of the American Veterinary Medical Association. 2003 November;223(9):1301-1305.

Greetham HL, Gibson GR, Giffard C, Hippe H, Merkhoffer B, Steiner U, *et al.* Clostridium colicanis sp. nov., from canine faeces. International Journal of Systematic and Evolutionary Microbiology. 2003;53(1):259-262.

Harris PA. Feeding the pregnant and lactating mare. Equine Veterinary Education. 2003;6:38-44.

Heaton P, Wilkinson J, Hacket R, Harper J. Age-related variations in hematologic and plasma biochemical test results in beagles and Labrador retrievers. Journal of the American Veterinary Medical Association. 2003 November;223(10):1436-1442.

Hoffman RM, Boston RC, Stefanovski D, Kronfeld DS, Harris PA. Obesity and diet affect glucose dynamics and insulin sensitivity in thoroughbred geldings. Journal of Animal Science. 2003;81(9):2333-2342.

Hoffman RM, Kronfeld DS, Cooper WL, Harris PA. Glucose clearance in grazing mares is affected by diet, pregnancy and lactation. Journal of Animal Science. 2003;81(7):1764-1771.

Hopwood-Courville RM, Vaden SL, Hurley KJ, Markwell PJ. Dietary protein modification in dogs with non-azotemic protein-losing nephropathy. ACVIM. 2003;17(3):404-405.

Kronfeld DS, Harris PA. Equine grain-associated disorders. Compendium on Continuing Education for the Practicing Veterinarian. 2003;25(12):974-983.

McCune S. Nutrition. In: Veterinary Nursing. 2003:215-255.



Peters I, Helps C, Batt R, Day M, Hall E. Quantitative real-time RT-PCR measurement of mRNA encoding A-chain, plgR and J-chain from canine duodenal mucosa. Journal of Immunological Methods. 2003;275:213-222.

Redfern F, Bruce A. Tooth brushing made easy - some handy hints. WALTHAM Focus. 2003;13(3):36-37.

Russell K, Lobley GE, Millward DJ. Whole-body protein turnover of a carnivore, *felis silvestris catus*. British Journal of Nutrition. 2003;89:29-37.

Speakman JR, VanAcker A, Harper EJ. Age-related changes in the metabolism and body composition of three dog breeds and their relationship to life expectancy. Aging Cell. 2003;2:265-275.

Stevenson AE. Urinary crystal and stone identification. WALTHAM Focus. 2003;13(2):28-29.

Stevenson AE, Hynds WK, Markwell PJ. Effect of dietary moisture and sodium content on urine composition and calcium oxalate relative supersaturation in healthy miniature schnauzers and Labrador retrievers. Research in Veterinary Science. 2003;74:145-151.

Stevenson AE, Hynds WK, Markwell PJ. The relative effects of supplemental dietary calcium and oxalate on urine composition and calcium oxalate relative supersaturation in healthy adult dogs. Research in Veterinary Science. 2003;75:33-41.

Stevenson AE, Markwell P, Practice J. Risk factor analysis and relative supersaturation as tools for identifying calcium oxalate stone forming dogs. Journal of Small Animal Practice. 2003 November;44:491-496.

Tzortzis G, Jay AJ, Baillon ML, Gibson GR, Rastall RA, biotechnology A. Synthesis of alphagalactooligosaccharides with alpha-galactosidase from lactobacillus reuteri of canine origin. Applied Microbiology Biotechnology. 2003;63:286-292.

Wallis C, McKevitt T, Nasir L, Argyle DJ. A cohort study of telomere and telomerase biology in cats. American Journal of Veterinary Research. 2003 December;64(12):1496-1499.

2002

Bierer TL, Bui LM. Improvement of arthritic signs in dogs fed green-lipped mussel (*perna canaliculus*). Journal of Nutrition. 2002;132(S6):1634-1636.

Bui LM. Arthritis management in dogs through diet. Veterinary Practice Nurse. 2002 Summer:30-31.



Deaton CM, Marlin DJ, Roberts CA, Smith N, Harris PA, Kelly FJ, *et al.* Antioxidant supplementation and pulmonary function at rest and exercise. Equine Exercise Physiology. 2002;34:58-65.

Dunnett M, Harris RC, Dunnett CE, Harris PA. Plasma carnosine concentration: Diurnal variation and effects of age, exercise and muscle damage. Equine Veterinary Journal Supplement. 2002;34:283-287.

Elliott D. Healthy hearts: The proactive approach to nutritional management of cardiac disease - ACT with SPEED. Waltham Focus. 2002;12(3):32-33.

Goodwin D, Davidson HPB, Harris P. Foraging enrichment for stabled horses: Effects on behaviour and selection. Equine Veterinary Journal. 2002;34(7):686-691.

Graham PA, Maskell I, Nash AS, Markwell PJ, Rawlings JM. Influence of a high fibre diet on glycaemic control and quality of life in dogs with diabetes mellitus. Journal of Small Animal Practice. 2002;43:67-73.

Hall SL, Bradshaw JWS, Robinson IH. Object play in adult domestic cats: The roles of habituation and disinhibition. Applied Animal Behaviour Science. 2002;79:263-271.

Hambly C, Harper EJ, Speakman JR. Cost of flight in the zebra finch (*taenopygia guttata*): A novel approach based on elimination of 13C labelled bicarbonate. Journal of Comparative Physiology B. 2002;172:529-539.

Hargreaves BJ, Kronfeld DS, Waldron JN, Lopes MA, Gay LS, Saker KE, *et al.* Antioxidant status and muscle cell leakage during endurance exercise. Equine Veterinary Journal Supplement. 2002;34:116-121.

Hargreaves BJ, Kronfeld DS, Waldron JN, Lopes MA, Gay LS, Saker KE, *et al.* Antioxidant status of horses during two 80-km endurance races. Journal of Nutrition. 2002;132(S6):1781-1783.

Hawthorne AJ. Nutritional requirements of aging dogs and cats. WALTHAM Focus. 2002;12(1):28-34.

Heaton P, Blount DG, Mann SJ, Devlin P, Koelsch S, Smith BHE, *et al.* Assessing age-related changes in peripheral blood leukocyte phenotypes in domestic shorthaired cats using flow cytometry. Journal of Nutrition. 2002;132(S6):1607-1609.



Heaton P, Devlin P, Blount DG, Pritchard DI. Aging and the immune system. WALTHAM Focus - Special Edition. 2002;12(1):2-13.

Heaton P, Ransley RA, Charlton CJ, Mann SJ, Stevenson J, Smith BHE, *et al.* Application of single-cell gel electrophoresis (comet) assay for assessing levels of DNA damage in canine and feline leukocytes. Journal of Nutrition. 2002(S132):1598-1603.

Heaton P, Reed C, Mann SJ, Ransley RA, Stevenson J, Charlton CJ, *et al.* Role of dietary antioxidants to protect against DNA damage in adult dogs. Journal of Nutrition. 2002;132(S6):1720-1724.

Heaton PR, Blount D, Devlin P, Koelsch S, Mann S, Smith BHE, *et al.* Assessing age-related changes in peripheral blood leukocyte phenotypes in Labrador retriever dogs using flow cytometry. Journal of Nutrition. 2002;132:1655S-1657S.

Hoffman RM, Hess TM, Williams CA, Kronfeld DS, Griewe-Crandell KM, Waldron JE, *et al.* Speed associated with plasma pH, oxygen content, total protein and urea in an 80 km race. Equine Exercise Physiology. 2002;34:39-43.

Ingham K, Gorrel C, Bierer TL. Effect of a dental chew on dental substrates and gingivitis incats. Journal of Veterinary Dentistry. 2002;19(4):201-204.

Ingham KE, Gorrel C. Managing oral diseases in older dogs and cats. WALTHAM Focus - Special Edition. 2002;12(1):21-27.

Irvine A, Butterwick RF, Watson TDG, Millward DJ, Morgan LM. Dietary supplementation with (n-3) polyunsaturated fatty acids does not affect insulin sensitivity in healthy Labrador retriever dogs. Journal of Nutrition. 2002;132(S6):1709-1710.

Kienzle E, Schrag I, Butterwick RF, Opitz B. Calculation of gross energy in pet foods: Do we have the right values for heat of combustion? Journal of Nutrition. 2002;132(S6):1799-1800.

Kirschvink N, Fievez L, V B, Art T, Degand G, Smith N, et al. Effect of nutritional antioxidant supplementation on systemic and pulmonary antioxidant status, airway inflammation and lung function in heaves-affected horses. Equine Veterinary Journal. 2002;34(7):705-712.

Marlin DJ, Fenn K, Smith N, Deaton C, Roberts CA, Harris PA, et al. Changes in circulatory antioxidant status in horses during prolonged exercise. Journal of Nutrition. 2002;132(S6):1622-1627.

Marshall M, Wattam SL, Skinner ND, Charlton CJ, Harper EJ. Feline antioxidant enzyme activity: The effect of sample storage on stability. Journal of Nutrition. 2002;132:1733-1734.



Marshall RJ, Scott KC, Hill RC, Lewis DD, Sundstrom D, Jones GL, et al. Supplemental vitamin C appears to slow racing greyhounds. Journal of Nutrition. 2002;132(S6):1616-1621.

McKevitt T, Nasir L, Devlin P, Argyle DJ. Telomere lengths in dogs decrease with increasing donor age. Journal of Nutrition. 2002;132(S6):1604-1606.

McNeill L. The effects and importance of age and breed on hematological measurements in the dog. WALTHAM Focus - Special Edition. 2002;12(1):38-41.

Muzylak M, Flanagan AM, Ingham K, Gunn N, Price J, Horton MA. A feline assay using osteoclasts generated in vitro from peripheral blood for screening anti-resorptive agents. Research in Veterinary Science. 2002;73:283-290.

Nicol C, Davidson H, Harris PA, Waters AJ, Wilson A. Study of crib-biting and gastric inflammation and ulceration in young horses. Veterinary Record. 2002 November;151:658-662.

Pagan JD, Geor RJ, Harris PA, Hoekstra K, Gardner S, Hudson C, *et al.* Effects of fat adaptation on glucose kinetics and substrate oxidation during low-intensity exercise. Equine Veterinary Journal Supplement. 2002;34:33-38.

Peachey SE, Harper EJ. Aging does not influence feeding behaviour in cats. Journal of Nutrition. 2002;132:1735S-1739S.

Prince A, Geor R, Harris P, Hoekstra K, Gardner S, Hudson C, *et al.* Comparison of the metabolic responses of trained Arabians and throughbreds during high- and low-intensity exercise. Equine Veterinary Journal Supplement. 2002;34:95-99.

Robertson WG, Jones J, Heaton MA, Stevenson AE, Markwell PJ. Predicting the crystallization potential of urine from cats and dogs with respect to calcium oxolate and magnesium ammonium. Journal of Nutrition. 2002;132(S6):1637-1641.

Russell K, Murgatroyd PR, Batt RM. Net protein oxidation is adapted to dietary protein intake in domestic cats (*felis silvestris catus*). Journal of Nutrition. 2002;132(3):456-460.

Scott KC, Hill RC, Lewis DD, Gronwall RR, Sundstrom DA, Jones GL, *et al.* Serum ascorbic acid concentrations in previously unsupplemented greyhounds after administration of a single dose of ascorbic acid intravenously or per os. Journal Animal Physiology. 2002;86:222-228.

Seaman SC, Davidson H, Waran N. How reliable is temperament assessment in the domestic horse (*equus caballus*). Applied Animal Behaviour Science. 2002;78:175-191.



Speakman JR, Selman C, McLaren JS, Harper EJ. Living fast, dying when? the link between aging and energetics. Journal of Nutrition. 2002;132(S6):1583-1597.

Staniar WB, Kronfeld DS, Akers RM, Burk JR, Harris PA. Feeding-fast cycle inmeal fed yearling horses. Journal of Animal Science. 2002;80:56.

Syme HM, Barber PJ, Markwell PJ, Elliott J. Prevalence of systolic hypertension in cats with chronic renal failure at initial evaluation. Journal of the American Veterinary Medical Association. 2002;220(12):1799-1804.

Twomey LN, Pethick DW, Rowe JB, Choct M, Pluske JR, Brown W, et al. The use of sorghum and corn as alternatives to rice in dog foods. Journal of Nutrition. 2002;132(S6):1704-1705.

Rolfe VE, Adams C, Butterwick RF, Batt RM. Relationships between fecal consistency and colonic microstructure and absorptive function in dogs with and without nonspecific dietary sensitivity. American Journal of Veterinary Research. 2002;63(4):617-622.

Rolfe VE, Adams C, Butterwick RF, Batt RM. Relationship between faecal character and intestinal transit time in normal dogs and diet-sensitive dogs. Journal of Small Animal Practice. 2002;43:290-294.

Watson A, Fray T, Clarke S, Yates D, Markwell PJ. Reliable use of the ServoMed evaporimeter EP-2[™] to assess transepidermal water loss in the canine. Journal of Nutrition. 2002;132(S6):1661-1664.

Williams CA, Hoffman RM, Kronfeld DS, Hess TM, Saker KE, Harris PA. Lipoic acid as an antioxidant in mature thoroughbred geldings: A preliminary study. Journal of Nutrition. 2002;132(6S):1628-1631.

Williams CA, Hoffman RM, Kronfeld DS, Hess TM, Waldron JE, Splan RK, *et al.* Oxidative stress and antioxidant supplementation in horses during a competitive endurance ride. Journal of Animal Science. 2002;80(S1):171.

2001

Bui LM, Bierer TL. Influence of green lipped mussels (*perna canaliculus*) in alleviating signs of arthritis in dogs. Veterinary Therapeutics. 2001;2(2):101-111.

Butterwick RF, McConnell M, Markwell PJ, Watson TDG. Influence of age and sex on plasma lipid and lipoprotein concentrations and associated enzyme activities in cats. American Journal of Veterinary Research. 2001;62(3):331-336.



Collins SB, Perez-Camargo G, Gettinby G, Butterwick RF, Batt RM, Giffard CJ. Development of a technique for the in vivo assessment of flatulence in dogs. American Journal of Veterinary Research. 2001;62(7):1014-1019.

Elliott J, Barber PJ, Syme HM, Rawlings JM, Markwell PJ. Feline hypertension: Clinical findings and response to antihypertensive treatment in 30 cases. Journal of Small Animal Practice. 2001;42(3):122-129.

Giffard CJ, Collins SB, Stoodley NC, Butterwick RF, Batt RM. Administration of charcoal, yucca schidigera, and zinc acetate to reduce malodorous flatulence in dogs. Journal of the American Veterinary Medical Association. 2001;218(6):892-896.

Guilford WG, Jones BR, Markwell PJ, Arthur DG, Collett MG, Harte JG. Food sensitivity in cats with chronic idiopathic gastrointestinal problems. Journal of Veterinary Internal Medicine. 2001;15(1):7-13.

Harper EJ. Potential for interventional use of antioxidants in clinical disease. Irish Veterinary Journal. 2001;54(6):293-301.

Harper EJ, Clark C, Macdonald DW. Energy metabolizability and nutrient digestibility in the black-billed magpie pica pica. IBIS. 2001;143:216-221.

Harper EJ, Stack DM, Watson TDG, Moxham G. Effects of feeding regimens on bodyweight, composition and condition score in cats following ovariohysterectomy. Journal of Small Animal Practice. 2001;42:433-438.

Heaton P, Campbell DJ. Growing old too fast? mechanisms and manifestations of aging in dogs and cats. WALTHAM Focus. 2001;11(4):24-25.

Heaton P, Ransley RA. Comet assay: A measure of DNA protection in cats fed diets developed with WALTHAM science. WALTHAM Focus. 2001;11(3):28-29.

Hoffman RM, Wilson JA, Kronfeld DS, Cooper WL, Lawrence LA, Sklan DJ, *et al.* Hydrolyzable carbohydrates in pasture, hay, and horse feeds: Direct assay and seasonal variation. Journal of Animal Science. 2001;79:500-506.

Hurley KJ, Markwell PJ. Optimum nutrition for critical care patients. WALTHAM Focus. 2001;11(3):30-32.

Ingham KE, Gorrel C. Effect of long-term intermittent periodontal care on canine periodontal disease. Journal of Small Animal Practice. 2001;42(2):67-70.



Ingham KE, Gorrel C, Blackburn JM, Farnsworth W. Prevalence of odontoclastic resorptive lesions in a population of clinically healthy cats. Journal of Small Animal Practice. 2001;42:439-443.

Johnston KL, Ballevre OP, Batt RM. Use of an orally administered combined sugar solution to evaluate intestinal absorption and permeability in cats. American Journal of Veterinary Research. 2001;62(1):111-118.

Johnston KL, Swift NC, M. F, Rutgers C, Lamport A, Ballevre OP, et al. Comparison of the bacterial flora of the duodenum in healthy cats and cats with signs of gastrointestinal tract disease. Journal of the American Veterinary Medical Association. 2001;218(1):48-51.

Kienzle E, Schrag I, Butterwick RF, Opitz B. Calculation of gross energy in pet foods: New data on heat combustion and fibre analysis in a selection of foods for dogs and cats. Journal Animal Physiology. 2001;85:148-157.

Koelsch S, Smith BHE. Strengthening the barriers against feline infectious diseases. the benefits of antioxidant - enriched diets. WALTHAM Focus. 2001;11(2):32-33.

Kronfeld DS. Body fluids and exercise: Replacement strategies. Journal of Equine Veterinary Science. 2001;21(8):368-375.

Leistra MHG, Willemse T, Markwell PJ. Evaluation of selected-protein-source diets for management of dogs with adverse reactions to food. Journal of the American Veterinary Medical Association. 2001;219(10):1411-1414.

Marlin DJ, Schroter RC, White S, Maykuth PL, Matthesen G, Mills PC, *et al.* Recovery from transport and acclimatisation of competition horses in a hot humid environment. Equine Veterinary Journal. 2001;33(4):371-379.

McNeill L, Butterwick RF, Batt RM, Rolfe VE, Hydrolyzed proteins - hypoallergenic or hype? WALTHAM Focus. 2001;11(1):32-33.

Moxham G. Waltham feces scoring system - A tool for veterinarians and pet owners: How does your pet rate? WALTHAM Focus. 2001;11(2):24-25.

Ordakowski AL, Kronfeld DS, Holland JL, Hargreaves BJ, Gay LS, Harris PA, *et al.* Alkanes as internal markers to estimate digestibility of hay or hay plus concentration in horses. Journal of Animal Science. 2001;79(6):1516-1522.

Price JS, Jackson B, Gray J, Harris PA, Wright IM, Pfeiffer D, *et al.* Biochemical markers of bone metabolism in growing thoroughbreds: A longitudinal study. Research in Veterinary Science. 2001;71(1):37-44.



Rooney NJ, BradshawJ WS, Robinson IH. Do dogs respond to play signals given by humans? Animal Behaviour. 2001;61:715-722.

Russell K, Craig ID, Rawlings JM, Millward DJ, Harper EJ. The use of P-aminobenzoic acid and chromic oxide to confirm complete excreta collection in a carnivore, felis silvestris catus. Comparative Biochemistry and Physiology. 2001;C(130):339-345.

Scott KC, Hill RC, Lewis DD, Boning AJ, Sundstrom D. Effect of alpha-tocopheryl acetate supplementation on vitamin E concentrations in greyhounds before and after a race. American Journal of Veterinary Research. 2001;62(7):1118-1120.

Speakman JR, Booles DB, Butterwick RF. Validation of dual energy X-ray absorptiometry (DXA) by comparison with chemical analysis of dogs and cats. International Journal of Obesity. 2001;25:439-447.

Speakman JR, Perez-Camargo G, McCappin T, Frankel T, Thomson P, *et al.* Validation of the doubly-labelled water technique in the domestic dog (*canis familiaris*). British Journal of Nutrition. 2001;85:75-87.

Staniar WB, Kronfeld DS, Wilson JA, Lawrence LA, Cooper WL, Harris PA. Growth of throroughbreds fed a low-protein supplement fortified with lysine and threonine. Journal of Animal Science. 2001;79:2143-151.

Stevenson AE, Markwell PJ. Comparison of urine composition of healthy Labrador retrievers and miniature schnauzers. American Journal of Veterinary Research. 2001;62(11):1782-1786.

Williams CA, Kronfeld DS, Staniar WB, Harris PA. Plasma glucose and insulin responses of thoroughbred mares fed a meal high in starch and sugar or fat and fiber. Journal of Animal Science. 2001;79:2196-201.

2000

Batt RM. Update in the management of gastrointestinal disease in dogs. WALTHAM Focus - Advances in Clinical Nutrition. 2000; Special Edition: 70-75.

Bradshaw JWS, Healey LM, Thorne CJ, Macdonald DW, Arden-Clark C. Differences in food preferences between individuals and populations of domestic cats (*felis silvestris catus*). Applied Animal Behaviour Science. 2000;68:257-268.

Bui LM. Arthritis management in dogs through diet. WALTHAM Focus. 2000;10(2):32-33.



Bui LM, Taylor F. Nutritional management of arthritis in dogs. WALTHAM Focus- Advances in Clinical Nutrition. 2000;10(2):64-69.

Bullimore SR, Pagan JD, Harris PA, Hoekstra KE, Roose KA, Gardner SC, *et al.* Carbohydrate supplementation of horses during endurance exercise: Comparison of fructose and glucose. Journal of Nutrition. 2000;130:1760-1765.

Butterwick RF. How fat is that cat? Journal of Feline Medicine and Surgery. 2000;2:91-94.

Center SA, Harte J, Watrous D, Reynolds A, Watson TDG, Markwell PJ, *et al.* The clinical and metabolic effects of rapid weight loss in obese pet cats and the influence of supplemental oral L-carnitine. Journal of Veterinary Internal Medicine. 2000;14:598-608.

Elliot J, Syme HM, Rawlings JM, Markwell PJ. Acid base disturbances in naturally occuring feline chronic renal failure patients. Revue Medicine Veterinaire. 2000;151(7):585-592.

Elliott J, Rawlings JM, Markwell PJ, Barber PJ. Survival of cats with naturally occurring chronic renal failure: Effect of dietary management. Journal of Small Animal Practice. 2000;41(June):235-242.

Giffard CJ, Collins SB. Dietary manipulation of canine odiferous flatulence. WALTHAM Focus. 2000;10(3):32-33.

Gleadhill A, Marlin D, Harris PA, Michell AR. Reduction of renal function in exercising horses. Equine Veterinary Journal. 2000;32(6):509-514.

Graham-Thiers PM, Kronfeld DS, Kline KA, Sklan DJ, Harris PA. Protein status of exercising Arabian horses fed diets containing 14% or 75% crude protein fortified with lysine and threonine. Journal of Equine Veterinary Science. 2000;20(8):516-521.

Harper EJ. Estimating the energy needs of pet birds. Journal of Avian Medicine and Surgery. 2000;14(2):95-102.

Harper EJ. The potential for interventional use of antioxidants in clinical disease. WALTHAM Focus - Special Edition. 2000;10(4):76-80.

Harper EJ, Turner CL. Nutrition and energetics of the canary (*serinus canarius*). Comparative Biochemistry and Physiology. 2000;126:271-281.

Harper EJ, Turner CL. Age-related changes in apparent digestibility in growing kittens. Reproduction Nutrition Development. 2000;40:249-260.

Hawthorne AJ, Butterwick RF. Feline body mass index - A simple measure of body fat content in cats. WALTHAM Focus. 2000;10(1):32-33.



Hill RC, Legrand D, Sundstrom D, Bloomberg MS, Burger IH, Hillock SM, *et al.* Maintenance energy requirements and the effect of diet on performance of racing greyhounds. American Journal of Veterinary Research. 2000;61(12):1566-1573.

Holland J, Kronfeld DS, Cooper WL, Harris PA. Fecal output, digestibility and pasture intake predicted by marker methods in grazing horses. Journal of Animal Science. 2000;78:149.

Hurley KJ, Noort RV. Critical care nutrition and enteral feeding: Part 1 - the whys and wherefores of feeding. WALTHAM Focus- Advances in Clinical Nutrition. 2000:21-29.

Kronfeld DS, Custalow SE, Ferrante PL, Taylor LE, Moll HD, Meacham TN, *et al.* Determination of the lactate breakpoint during incremental exercise in horses adapted to dietary corn oil. American Journal of Veterinary Research. 2000;61(2):144-151.

Markwell PJ, Harvey RG. Management of atopy in dogs. WALTHAM Focus. 2000;10(2):10-15.

Markwell PJ, Robertson WG, Stevenson AE. Urolithiasis: A comparison of humans, dogs and cats. Urolithiasis 2000, 2000;785-788.

Markwell PJ, Stevenson AE. Nutritional management of canine urolithiasis. WALTHAM Focus. 2000 13th October;10(1):10-13.

Marsh KA, Ruedisueli FL, Coe SL, Watson TDG. Effects of zinc and linoleic acid supplementation on the skin and coat quality of dogs receiving a complete and balanced diet. Veterinary Dermatology. 2000;11:277-284.

Maxwell A, Hurley KJ, Burton C, Batt R, Camacho-Hubner C. Reduced serum insulin - like growth factor (IGF) and IGF-binding protein-3 concentrations in two deerhounds with congenital portosystemic shunts. Journal of Veterinary Internal Medicine. 2000;14:542-545.

Miura A, Bradshaw JWS, Tanida H. Attitudes towards dogs: A study of university students in japan and in the UK. Anthrozoos. 2000;13(2):80-88.

Peachey SE, Dawson JM, Harper EJ. Gastrointestinal transit times in young and old cats. Comparative Biochemistry and Physiology. 2000;126:85-90.

Platt SR, Randell SC, Scott KC, Chrisman CL, Hill RC, Gronwall RR. Comparison of plasma benzodiazepine concentrations following intranasal and intravenous administration of diazepam to dogs. American Journal of Veterinary Medicine. 2000;61(6):651-654.



Rooney NJ, Bradshaw JWS, Robinson IH. Comparison of dog - dog and dog - human play behaviour. Applied Animal Behaviour Science. 2000;66:235-248.

Rush JE, Freeman LM, Brown DJ, Brewer BP, Ross JN, Markwell PJ. Clinical, echocardiographic, and neurohormonal effects of a sodium -restricted diet in dogs with heart failure. Journal of Veterinary Internal Medicine. 2000;14:513-520.

Russell K, Lobley GE, Rawlings JM, Millward DJ, Harper EJ. Urea kinetics of a carnivore, felis silvestris catus. British Journal of Nutrition. 2000;84:597-604.

Russell K, Sabin R, Holt S, Bradley R, Harper EJ. Influence of feeding regimen on body condition in the cat. Journal of Small Animal Practice. 2000;41:12-17.

Scantlebury M, Hynds W, Booles DB, Speakman JR. Isotope recycling in lactating dogs (*canis familiaris*). American Journal of Physiology - Regulatory Integrative and Comparative Physiology. 2000;278:R669-676.

Shea PA, Kronfeld DS, Lawrence LA, Pleasant RS, Harris PA. Diet and conditioning influence bone development. Equine Practice. 2000;22(5):18-21.

Smith BHE, Devlin P. Enhancing puppy immune response through diet. WALTHAM Focus. 2000;10(4):32-33.

Stevenson AE, Wrigglesworth DJ, Markwell PJ. Urine pH and urinary relative supersaturation in healthy adult cats. Urolithiasis 2000. 2000:818-820.

Stevenson AE, Wrigglesworth DJ, Markwell PJ. Dietary sodium chloride, urinary calcium and urinary oxalate in healthy adult dogs. Urolithiasis. 2000:794-796.

Stevenson AE, Wrigglesworth DJ, Smith BHE, Markwell PJ. Effects of dietary potassium citrate supplementation on urine pH and urinary relative supersaturation of calcium oxalate and struvite in healthy dogs. American Journal of Veterinary Research. 2000;61(4):430-435.

Zuur G, Russell K, Lobley GE. Multiple-entry urea kinetic model: Effects of incomplete data collection. Modelling nutrient utilisation in farm animals. 2000:145-161.

1999

Barber PJ, Rawlings JM, Markwell PJ, Elliott J. Effect of dietary phosphate restriction on renal secondary hyperparathyroidism in the cat. Journal of Small Animal Practice. 1999;40:62-70.

Batt RM, V R, McNeill L, Butterwick RF. Food allergy and intolerance - the gut perspective. WALTHAM Focus - Skin and Coat. 1999(April):31-35.



Bauer JE, Markwell PJ, Rawlings JM, Senior D. Effects of dietary fat and polyunsaturated fatty acids in dogs with naturally developing chronic renal failure. Journal of the American Veterinary Medical Association. 1999;215(11):1588-1591.

Bradshaw JWS, Horsfield GF, Allen JA, Robinson IH. Feral cats: Their role in the population dynamics of *felis catus*. Applied Animal Behaviour Science. 1999;65:273-283.

Crandell K, Pagan JD, Harris PA, Duren SE. A comparison of grain, oil and beet pulp as energy sources for the exercised horse. Equine Exercise Physiology 5. 1999;30:485-489.

Duren SE, Pagan JD, Harris PA, Crandell K. Time of feeding and fat supplementation affect plasma concentrations of insulin and metabolites during exercise. Equine Exercise Physiology 5. 1999;30:479-484.

Gleadhill A, Marlin D, Harris PA, Michell AR. Use of three-blood-sample plasma clearance technique to measure GF horses. Veterinary Journal. 1999;158(3):204-209.

Goodwin D. The importance of ethology in understanding the behaviour of the horse. Equine Veterinary Journal. 1999(S28):15-19.

Gorrel C, Bierer TL. Long term effects of a dental hygiene chew on the periodontal health of dogs. Journal of Veterinary Dentistry. 1999;16(3):109-113.

Gorrel C, Warrick J, Bierer TL. Effect of a new dental hygiene chew on periodontal health in dogs. Journal of Veterinary Dentistry. 1999;16(2):77-81.

Harris PA. Comparison of the digestible energy (DE) and net energy (NE) systems for the horse. World Equine Veterinary Review. 1999;4(2):33-41.

Hoffman RM, Lawrence LA, Kronfeld DS, Cooper WL, Sklan DJ, Dascanio JJ, *et al.* Dietary carbohydrates and fat influence radiographic bone mineral content of growing foals. Journal of Animal Science. 1999;77:3330-3338.

Ingham KE, Gorrel C. Assessing oral health and hygiene in dogs. WALTHAM Focus. 1999;9(4):32-33.

Lloyd DH, Marsh KA. Optimising skin and coat condition in the dog. WALTHAM Focus - Skin and Coat. 1999 April 1999(Special Edition):21-28.



Markwell PJ. Lower urinary tract diseases in cats: Dietary and medical management. Wiener Tierarztliche Monatsschrift. 1999;86:8-12.

Markwell PJ, Buffington CT, Chew DJ, Kendall MS, Harte JG, Dibartola SP. Clinical evaluation of commercially available urinary acidification diets in the management of idiopathic cystitis in cats. Journal of the American Veterinary Medical Association. 1999;214(3):361-365.

Markwell PJ, Smith BHE, McCarthy KP. A non-invasive method for assessing the effect of diet on urinary calcium oxalate and struvite relative supersaturation in the cat. Animal Technology. 1999;50(2):61-67.

Marlin DJ, Schroter RC, Scott CM, White S, Nyrop KA, Maykuth PL, *et al.* Sweating and skin temperature responses of normal and anhidrotic horses to intravenous adrenaline. Equine Exercise Physiology 5. 1999;30:362-369.

Marlin DJ, Scott CM, Schroter RC, Harris RC, Harris PA, Roberts CA, *et al.* Physiological responses of horses to a treadmill simulated speed and endurance test in high heat and humidity before and after humid heat acclimation. Equine Veterinary Journal. 1999;31(1):31-42.

Marr CM, Bright JM, Marlin DJ, Harris PA, Roberts CA. Pre- and post exercise echocardiography in horses performing treadmill exercise in cool and hot/humid conditions. Equine Veterinary Journal. 1999 July;30:131-136.

Marsh KA. Measuring skin and coat condition in healthy dogs. WALTHAM Focus. 1999;9(1):31. Maxwell A, Butterwick RF, Batt RM, Hubner-Camacho C. Serum insulin-like growth factor (IGF)-I concentrations are reduced by short-term dietary restriction and restored by refeeding in domestic cats (*felis catus*). Journal of Nutrition. 1999;129:1879-1884.

Meyer H, Zentek J, Habernoll H, Maskell I. Digestibility and compatibility of mixed diets and faecal consistency in different breeds of dog. Journal of Veterinary Medicine. 1999;46:155-165.

Morris JG, Earle KE. Growing kittens require less dietary calcium than current allowances. Journal of Nutrition. 1999;129:1698-1704.

Morris JG, Earle KE, Anderson PA. Plasma 25-hydroxyvitamin D in growing kittens is related to dietary intake of cholecalciferol. Journal of Nutrition. 1999;129:909-912.

Pagan JD, Harris PA. The effects of timing and amount of forage and grain on exercise response in thoroughbred horses. Equine Exercise Physiology 5. 1999;30:451-457.



Peachey SE, Dawson JM, Harper EJ. The effect of ageing on nutrient digestibility by cats fed beef tallow-, sunflower oil-or olive oil-enriched diets. Growth, Development and Aging. 1999;63:61-70.

Robinson IH. Pet therapy. Nursing Times. 1999;95(15):33-34.

1998

Butterwick RF, Hawthorne AJ. Advances in dietary management of obesity in dogs and cats. Journal of Nutrition. 1998;128:2771-2775.

Culham N, Rawlings JM. Oral malodor and its relevance to periodontal disease in the dog. Journal of Veterinary Dentistry. 1998;15(4):165-168.

Earle KE, Kienzle E, Opitz B, Smith PM, Maskell IE. Fiber affects digestibility of organic matter and energy in pet foods. Journal of Nutrition. 1998;128:2798-2800.

Guilford WG, Markwell PJ, Jones BR, Harte JG, Wills JM. Prevalence and causes of food sensitivity in cats with chronic pruritus, vomiting or diarrhea. Journal of Nutrition. 1998;128:2790-2791.

Harper EJ. Changing perspectives on aging and energy requirements: Aging and digestive function in humans, dogs and cats. Journal of Nutrition. 1998;128:2632S-2635S.

Harper EJ. Changing perspectives on aging and energy requirements: Aging, body weight and body composition in humans, dogs and cats. Journal of Nutrition. 1998;128:2627S-2631S.

Harper EJ. Changing perspectives on aging and energy requirements: Aging and energy intakes in humans, dogs and cats. Journal of Nutrition. 1998;128:2623S-2626S.

Harper EJ, Lambert L, Moodie N. The comparative nutrition of two passerine species: The canary (*serinus canarius*) and the zebra finch (*poephila guttata*). Journal of Nutrition. 1998:128:2684-2685.

Harper EJ, Lowe B. Hematology values in a colony of budgerigars (*melopsittacus undulatus*) and changes associated with aging. Journal of Nutrition. 1998(128):2639-2640.

Harper EJ, Skinner ND. Clinical nutrition of small psittacines and passerines. Seminars in Avian and Exotic Pet Medicine. 1998;7(3):116-127.

Harris PA. Developments in equine nutrition: Comparing the beginning and end of this century. Journal of Nutrition. 1998;128(S):2698-2703.



Harris PA, Marlin DJ, Gray J. Plasma aspartate aminotransferase and creatine kinase activities in thoroughbred racehorses in relation to age, sex, exercise and training. The Veterinary Journal. 1998;155:295-304.

Hawthorne AJ, Butterwick RF. The satiating effect of a diet containing jojoba meal (*simmondsia chinensis*) in dogs. Journal of Nutrition. 1998;128:2669-2670.

Hoffman RM, Kronfeld DS, Herbein JH, Swecker WS, Cooper WL, Harris PA. Dietary carbohydrates and fat influence milk composition and fatty acid profile of mare's milk. Journal of Nutrition. 1998;128:2708-2711.

Holland JL, Kronfeld DS, Rich GA, Kline KA, Fontenot JP, Meacham TN, et al. Acceptance of fat and lecithin containing diets by horses. Applied Animal Behaviour Science. 1998;56:91-96.

Holland JL, Kronfeld DS, Sklan DJ, Harris PA. Calculation of fecal kinetics in horses fed hay or hay and concentrate. Journal of Animal Science. 1998;76(7):1937-1944.

Kienzle E, Opitz B, Earle KE, Smith PM, Maskell IE, Iben C. An improved method for the estimation of energy in pet foods. Journal of Nutrition. 1998;128:2806-2808.

Kronfeld DS, Custalow SE, Ferrante PL, Taylor LE, Wilson JA, Tiegs W. Acid-base responses of fat-adapted horses: Relevance to hard work in the heat. Applied Animal Behaviour Science. 1998(59):61-72.

Loveridge GG. Environmentally enriched dog housing. Applied Animal Behaviour Science. 1998;59:101-113.

Markwell P. Dietary management of idiopathic lower urinary tract disease in cats. WALTHAM Focus. 1998;8(3):32.

Markwell PJ. Dietary management of renal failure in the dog and cat. WALTHAM Focus. 1998;8(2):16-22.

Markwell PJ, Bauer JE, Rawlings JM, Senior DF. The impact of dietary fat and polyunsaturated fatty acids on renal disease: A short review of data from clinical and experimental studies. Journal Animal Physiology. 1998;80:234-238.

Markwell PJ, Buffington CT, Smith BHE. The effect of diet on lower urinary tract diseases in cats. Journal of Nutrition. 1998;128:2753-2757.

Markwell PJ, Smith BHE. Nouve prospettive sugli effetti della dieta sui parametri urinari e sulle affezioni delle basse vie urinarie del gatto. Veterinaria. 1998;12(2):97-99.



Markwell PJ, Smith BHE. Lower urinary tract diseases in cats - dietary and medical management. WALTHAM Focus. 1998;8(1):21-24.

Maxwell A, Butterwick RF, Yateman Y, Batt R, Cotterill A, Camacho-Hubner C. Nutritional modulation of canine insulin-like growth factors and their binding proteins. Journal of Endocrinolgy. 1998;158:77-85.

Opitz B, Smith PM, Kienzle E, Earle KE, Maskell IE. Comparison of various methods of fiber analysis in pet foods. Journal of Nutrition. 1998;128:2795-2797.

Pagan J, Harris PA, Brewster-Barnes T, Duren SE, Jackson SG. Exercise affects digestibility and rate of passage of all-forage and mixed diets in thoroughbred horses. Journal of Nutrition. 1998;128(S):2704-2707.

Papasouliotis K, Sparkes A, Gruffydd JJ, Cripps PJ, Harper EJ. Use of the breath hydrogen test to assess the effect of age on orocecal transit time and carbohydrate assimilation in cats. American Journal of Veterinary Research. 1998;59(10):1299-1302.

Porr CA, Kronfeld DS, Lawrence LA, Pleasant S, Harris PA. Deconditioning reduces mineral content of the third metacarpal bone in horses. Journal of Animal Science. 1998;76(7):1875-1879.

Rawlings JM, Culham N. Halitosis in dogs and the effect of periodontal therapy. Journal of Nutrition. 1998;128:2715-2716.

Rawlings JM, Culham N. Studies of oral malodor in the dog. Journal of Veterinary Dentistry. 1998;15(4):169-174.

Rawlings JM, Gorrel C, Markwell PJ. Effect on canine oral health of adding chlorhexidine to a dental hygiene chew. Journal of Veterinary Dentistry. 1998;15(3):129-134.

Robinson IH. The changing roles of animals in society. WALTHAM Focus. 1998 2nd May;8(4):2-5.

Robinson IH. Can diet affect behaviour? WALTHAM Focus. 1998;8(1):32.

Skinner ND. Thyroid hormone levels in cats: Colony average and the decrease with age. Journal of Nutrition. 1998;128:2636-2638.

Smeets-Peeters M, Watson TDG, Minekus M, Havenaar R. A review of the physiology of the canine digestive tract related to the development of *in vitro* systems. Nutrition Reviews. 1998;11(1):45-69.



Smith BHE. Effect of lifestage on urinary tract health in the cat. WALTHAM Focus. 1998;8(2):32.

Smith BHE, Stevenson AE, Markwell PJ. Urinary relative supersaturations of calcium oxalate and struvite in cats are influenced by diet. Journal of Nutrition. 1998;128:2763-2764.

Stevenson AE. Effect of diet on relative supersaturations in canine urine. WALTHAM Focus. 1998;8(4):32.

Stevenson AE, Smith BHE, Markwell PJ. A system to monitor urinary tract health in dogs. Journal of Nutrition. 1998;128:2761-2762.

Taylor LE, Kronfeld DS, Ferrante PL, Wilson JA, Tiegs W. Blood-gas measurements adjusted for temperature at three sites during incremental exercise in the horse. Journal of Applied Physiology. 1998;85(3):1030-1036.

Watson TDG. Diet and skin disease in dogs and cats. Journal of Nutrition. 1998;128:2783-2789.

1997

Bauer JE, Crocker RC, Markwell PJ, Senior D, Rawlings JM. Dietary N-6 fatty acid supplementation improves ultrafiltration in spontaneous canine chronic renal failure. Journal of Veterinary Internal Medicine. 1997;11(2):126.

Bauer JE, McAlister KG, Rawlings JM, Markwell PJ. Molecular species of cholesteryl esters formed via plasma lecithin: Cholesterol acyltransferase in fish oil supplemented dogs. Nutrition Research. 1997;17(5):861-872.

Butterwick RF. Fibre and obesity: Fact and fiction. WALTHAM Focus. 1997;7(1):32.

Butterwick RF, Markwell PJ. Effect of amount and type of dietary fiber on food intake in energy-restricted dogs. American Journal of Veterinary Research. 1997;58(3):272-276.

Center SA, Harte JG, Crawford MA, Chiapella A, Dougherty S, Nicholson B, *et al.* Hepatic peroxisomes in cats with hepatic lipidosis and cats treated with ursodeoxycholic acid. Journal of Veterinary Internal Medicine. 1997;11(2):117.

Center SA, Reynolds AP, Harte JG, Watson TDG, Markwell PJ, Erb HN, *et al.* Clinical effects of rapid weight loss in obese pet cats with and without supplemental I-carnitine. Journal of Veterinary Internal Medicine. 1997;11(2):118.



Center SA, Reynolds AP, Harte JG, Watson TDG, Markwell PJ, Erb HN, *et al.* Metabolic influence of oral I-carnitine during a rapid 18 week weight loss program in obese cats. Journal of Veterinary Internal Medicine. 1997;11(2):118.

Downs LG, Crispin SM, Legrand D, Perez-Camargo G, McCappin T, Bolton CH. The influence of lifestyle and diet on the lipoprotein profile of border collies. Research in Veterinary Science. 1997;63(1):35-42.

Goodwin D, Davidson HPB. The role of the horse in Europe. Equine Veterinary Journal. 1997;28:5.

Greiwe-Crandell KM, Kronfeld DS, Gay LS, Sklan DJ, Tiegs W, Harris PA. Vitamin A repletion in thoroughbred mares with retinyl palmitate or becarotene. Journal of Animal Science. 1997;75(10):2684-2690.

Gunn-Moore DA, Watson TDG, Crispin SM, Gruffydd JJ, Dodkin SJ, Blaxter AC. Transient hyperlipidaemia and anaemia in kittens. Veterinary Record. 1997;140:355-359.

Harper EJ. The energy requirements of senior dogs. WALTHAM Focus. 1997;7(2).

Harris PA. Energy sources and requirements of the exercising horse. Annual Reviews of Nutrition. 1997;17:185-210.

Markwell PJ, Smith BHE. Diet and calcium oxalate urolithiasis in cats. WALTHAM Focus. 1997;7(4):32.

McCune S, Hawthorne AJ. Environmental enrichment for confined cats. WALTHAM Focus. 1997;7(4):28-31.

Mills PC, Smith N, Harris RC, Harris PA. Effect of on the formation of reactive oxygen species during exercise in the horse. Research in Veterinary Science. 1997;62(1):11-16.

Rawlings JM, Gorrel C, Markwell PJ. Effect of two dietary regimens on gingivitis in the dog. Journal of Small Animal Practice. 1997;38:147-151.

Simpson KW, Meyer DJ, Boswood A, White RN, Maskell IE. Iron status and erythrocyte volume in dogs with cogentital portosystemic vascular anomalies. Journal of Veterinary Internal Medicine. 1997;11(1):14-19.

Smith BHE, Moodie SJ, Wensley S, Markwell PJ. Differences in urinary pH and relative supersaturation values between senior and young adult cats. Journal of Veterinary Internal Medicine. 1997;11(2):127.



Sorensen SH, Proud FJ, Rutgers HC, Markwell PJ, Adam A, Batt RM. A blood test for intestinal permeability and function: A new tool for the diagnosis of chronic intestinal disease in dogs. Clinica Chimica Acta. 1997;264:103-115.

Sturgess CP, Waters L, Gruffydd JJ, Nott HMR, Earle KE. Investigation of the association between whole blood and tissue taurine levels and the development of thoracic deformities in neonatal burmese kittens. Veterinary Record. 1997;141:566-570.

Watson TDG, Markwell PJ. Dietary management of chronic diarrhoea in dogs. Wiener Tierarztliche Monatsschrift. 1997:84:374-377.

1996

Bradshaw JWS, Goodwin D, V L, Nott HMR. Food selection by the domestic cat, an obligate carnivore. Comparative Biochemistry and Physiology.1996;114A(3):205-209.

Butterwick RF, Markwell PJ. Changes in the body composition of *cats* during weight reduction by controlled dietary energy restriction. Veterinary Record.1996;138(15):354-357.

Crocker R, Bauer JE, Malcik K, Bigley K, Rawlings JM, Markwell PJ, *et al.* Effects of dietary polyunsaturated fatty acids on urinary eicosanoids in chronic renal failure. Journal of Veterinary Internal Medicine.1996;10:166.

Dodman NH, Reisner I, Shuster L, Rand W, Luescher UA, Robinson IH, *et al.* Effect of dietary protein content on behaviour in dogs. Journal of the American Veterinary Medical Association.1996;208(3):376-379.

Gorrel C, Rawlings JM. The role of a 'dental hygiene chew' in the maintainance of periodontal health in dogs. Journal of Veterinary Dentistry.1996;13(1):31-34.

Gorrel C, Rawlings JM. The role of tooth-brushing and diet in the maintenance of periodontal health in dogs. Journal of Veterinary Dentistry.1996;13(4):139-143.

Harper EJ. The energy requirements of senior cats. WALTHAM Focus.1996;6(2):32.

Harris PA. Differential diagnosis of an acute episode of a primary myopathy out at pasture. Equine Veterinary Education.1996;8(5):272-276.

Harvey RM, Markwell PJ. The mineral composition of nails in normal dogs and comparison with shed nails in canine idiopathic onychomadesis. Veterinary Dermatology.1996;7:29-34.



Malcik K, Bauer JE, Crocker R, Bigley K, Rawlings JM, Markwell PJ, *et al.* Lipoprotein metabolism and LCAT activities of dogs with chronic renal failure. Journal of Veterinary Internal Medicine.1996;10:194.

Markwell PJ, Butterwick RF. Recent research in the management of obesity in cats and dogs. WALTHAM Focus.1996;6(1):25-29.

Marlin DJ, Scott CM, Schroter RC, Mills PC, Harris RC, Harris PA, *et al.* Physiological responses in non-heat acclimated horses performing tread exercise in cool (20 degrees C/40% RH), hot dry (30 degrees C/40% R hot humid (30 degrees C/80% RH) conditions. Equine Veterinary Journal.1996;22:70-84.

McAlister KG, Bauer JE, Harte JG, Rawlings JM, Markwell PJ. Canine plasma lipoproteins and lecithin: Cholesterol acyltransferase activities in dietary oil supplemented dogs. Veterinary Clinical Nutrition.1996;3(2):50-56.

Morris JG, Earle KE. Vitamin D and calcium requirements of kittens. Veterinary Clinical Nutrition.1996;3(3):93-96.

Munday HS. Feeding cats for life. WALTHAM Focus.1996;6(2):9-14.

O'Dair HA, Markwell PJ, Maskell IE. An open prospective investigation into aetiology in a group of cats with suspected allergic skin disease. Veterinary Dermatology.1996;7:193-202.

8. Rawlings JM. Oral hygiene recommendations for dogs. WALTHAM Focus. 1996;6(1):32.

Ruedisueli FL, Eastwood NJ, Gunn NK, Watson TDG. The measurement of skin pH in normal dogs of different breeds. Veterinary Dermatology.1996;3:523-524.

Smith BHE. Effect of diet on relative supersaturations in feline urine. WALTHAM Focus.1996;6(3):32.

Smith BHE. Urinary tract health and dry cat food. WALTHAM Focus.1996;6(4):32.

Taylor EJ. An evaluation of the importance of insoluble versus soluble grit in the diet of canaries. Journal of Avian Medicine and Surgery.1996;10(4):248-251.

Taylor EJ. An evaluation of the importance of dietary grit for canaries. Journal of Avian Medicine and Surgery.1996;10(4):46-49.

Watson D. Longevity and diet. Veterinary Record.1996;138(3):71.



Watson ED, Cuddeford D, Burger IH. Failure of beta-carotene absorption negates any potential effect on ovarian function in mares. Equine Veterinary Journal.1996;28(3):233-236.

Watson TDG. Lipoprotein metabolism in dogs and cats. Comparative Haematology International.1996;6(1):17-23.

Watson TDG, Center SA. Nutritional management of canine liver disease. WALTHAM Focus.1996;6(2):25-31.

1995

Brown IH, Harris PA, Alexander DJ. Serological studies of influenza viruses in pigs in Great Britain 1991-2. Epidemiology and Infection.1995;114(3):511.

Burger IH. Updated feeding recommendations for the canine diet. WALTHAM Focus.1995;5(3):32.

Butterwick RF, Torrance A. Nutrition and malnutrition in the hospitalised small animal. WALTHAM Focus.1995;5(2):15-21.

Butterwick RF, Watson TDG, Markwell PJ. The effect different levels of energy restriction on body weight and composition in obese cats. Journal of Veterinary Internal Medicine.1995;9(3):214.

Earle KE. The nutritional requirements of ornamental fish. The Veterinary Quarterly.1995;17(S1):53-55.

Earle KE, Pannevis MC. Nutritional requirements of pet birds with special consideration of psittacidae. Wiener Tierarztliche Monatsschrift.1995;81:133-136.

Harris PA, Marlin DJ, Mills PC, Roberts CA, Scott CM, Harris RC, *et al.* Clinical observations made in nonheat acclimated horses performing tr exercise in cool (20 degrees C/40%RH), hot, dry (30 degrees C/40%R humid (30 degrees C/80%RH) conditions. Equine Veterinary Journal.1995;20:78-84.

Loveridge GG, Horrocks LJ, Hawthorne AJ. Environmentally enriched housing for cats when housed singly. Animal Welfare.1995;4:135-141.

Lowe BK, Markwell PJ. Differences between cats and dogs: A nutritional view. Animal Technology.1995;46(1):29-35.



Markwell PJ, Earle KE. Taurine: An essential nutrient for the cat. A brief review of the biochemistry of its requirement and the clinical consequences of deficiency. Nutrition Research.1995;15(1):53-58.

McCune S. The impact of paternity and early socialisation on the development of cats' behaviour to people and novel objects. Applied Animal Behaviour Science.1995;45:109-124.

Mills PC, Marlin DJ, Scott CM, Harris RC, Michell AR, Orme CE, et al. Effects of exercise intensity and environmental stress on indices of oxi stress and iron homeostatis during exercise in the horse. European Journal of Applied Physiology - Occupational Physiology. 1995;20:85-96.

Moodie N, Taylor EJ. A calculation for the estimation of the energy intakes of budgerigar chicks without manipulation of brood size. Animal Technology.1995;46(3):191-202.

O'Malley S. The role of variety in the diet. WALTHAM Focus.1995;5(3):18-22.

Pannevis MC, Earle KE. Nutrition of ornamental fish. Die Ernahrung von Zierfischen.1995;82(3):96-99.

Taylor EJ. Practical nutrition of companion birds. Magyar Allatorvosok Lapja.1995;50(7):442-443.

Watson TDG. New in-vivo techniques for measuring lipoprotein metabolism. Current Opinion in Lipidology.1995;6:182-186.

Watson TDG, Butterwick RF, Markwell PJ. Effects of weight reduction on plasma lipid and lipoprotein metabolism in obese cats. Journal of Veterinary Internal Medicine.1995;9(3):214.

Watson TDG, Butterwick RF, McConnell M, Markwell PJ. Development of methods for analysing plasma lipoprotein concentrations and associated enzyme activities and their use to measure the effects of pregnancy and lactation in cats. American Journal of Veterinary Research.1995;56(3):289-296.

Watson TDG, MacKenzie JA, Stewart JP, Barrie J. Use of oral and intravenous fat tolerance tests to assess plasma chylomicron clearance in dogs. Research in Veterinary Science.1995;58:256-262.

Wills JM, Harvey RM. Diagnosis and management of food allergy and intolerance in dogs and cats. South African Veterinary Medicine. 1995;8(1):21-29.

1994

Andrews SK. Dealing with diarrhoea. Irish Veterinary Journal.1994;47(8):370-371.



Booles DB, Poore DW, Legrand D, Burger IH. Body composition of male and female Labrador Retriever puppies at 20 weeks of age. Journal of Nutrition.1994;124(12S):2624-2625.

Burger IH. Energy needs of companion animals: Matching food intakes to requirements throughout the life cycle. Journal of Nutrition.1994;124(S12):2584-2593.

Butterwick RF, Markwell PJ. Effect of level and type of dietary fibre on food intake in the dog. Journal of Veterinary Internal Medicine.1994;8(2):153.

Butterwick RF, Markwell PJ, Thorne CJ. Effect of level and source of dietary fibre on food intake in the dog. Journal of Nutrition.1994;124(12S):2695-2700.

Butterwick RF, Wills JM, Sloth CJ, Markwell PJ. A study of obese cats on a calorie-controlled weight reduction programme. Veterinary Record.1994;134:372-377.

Dodman NH, Reisner I, Shuster L, Rand W, Leuscher UA, Robinson IH, *et al.* The effect of dietary protein content on aggression and hyperactivity in dogs. Applied Animal Behaviour Science.1994:185.

Downs LG, Zani V, Wills JM, Crispin SM, Bolton CH. Changes in plasma lipoproptein during the oestrous cycle of the bitch. Research in Veterinary Science.1994;56:82-88.

Earle KE, Smith PM. The taurine requirement of the kitten fed canned foods. Journal of Nutrition.1994;124(12S):2552-2554.

Graham PA, Maskell IE, Nash AS. Canned high fibre diet and postprandial glycemia in dogs with naturally occurring diabetes mellitus. Journal of Nutrition.1994;124(12S):2712-2715.

Harte JG, Markwell PJ, Moraillon R, Gettinby G, Smith BHE, Wills JM. Dietary management of naturally occurring chronic renal failure in cats. Journal of Nutrition.1994;124(12S):2660-2662.

Horrocks LJ. Care and management of WALTHAM pets. WALTHAM Focus.1994;4(2):11-16.

Legrand-Defretin V. Feeding dogs for life. WALTHAM Focus.1994;4(1):9-16.

Legrand-Defretin V. Energy requirements of cats and dogs - what goes wrong? International Journal of Obesity.1994;18(1):S8-S13.



Loveridge GG. Provision of environmentally enriched housing for dogs. Animal Technology.1994;45(1):1-19.

Loveridge GG. Provision of environmentally enriched housing for cats. Animal Technology.1994;45(2):69-87.

Markwell PJ, Butterwick RF. Body composition changes in cats during weight reduction by controlled energy restriction. Journal of Veterinary Internal Medicine.1994;8(2):156.

Markwell PJ, Butterwick RF, Wills JM, Raiha M. Clinical studies in the management of obesity in cats and dogs. International Journal of Obesity.1994;18(S1):39-43.

Maskell I, Smithard R. Degradation of glucosinolates during in vitro incubations of rapeseed meal with myrosinase (EC 3 2 1) and with pepsin (EC 3 4 23 1)-hydrochloric acid, and contents of porcine small intestine and caecum. British Journal of Nutrition.1994;72:455-466.

Maskell IE, Winner LM, Markwell PJ, Boehler S. Does the canning process alter the physiological effects of dietary fibre in the dog. Journal of Nutrition.1994;124(12S):2704-2706.

Moodie N, Nott HMR. Is size important? the effect of brood size on individual budgerigar chick growth. Animal Technology.1994;45(2):119-124.

Munday HS. Assessment of body composition in cats and dogs. International Journal of Obesity.1994;18(S1):14-21.

Munday HS, Booles DB, Anderson PA, Poore DW, Earle KE. The repeatability of body composition measurements in dogs and cats using dual energy X-ray absorptiometry. Journal of Nutrition.994;124(12S):2619-2621.

Munday HS, Earle KE, Anderson PA. Changes in the body composition of the domestic shorthaired cat during growth and development. Journal of Nutrition.1994;124(12S):2622-2623.

Nott HMR, Rigby SR, Johnson JV, Bailey SJ, Burger IH. Design of digestibility trials for dogs and cats. Journal of Nutrition.1994;124(12S):2582-2583.

Nott HMR, Taylor EJ. Advances in our understanding of the nutrition of pet birds. Wiener Tierarztliche Monatsschrift.1994(81):135-140.

Pannevis MC, Earle KE. Nutrition of ornamental fish: Water soluble vitamin leaching and growth of paracheirodon innesi. Journal of Nutrition.1994;124(12S):2633-263



Pannevis MC, Earle KE. Maintenance energy requirement of five popular species of ornamental fish. Journal of Nutrition.1994;124(12S):2616-2618.

Scarlett JM, Donoghue S, Saidla J, Wills JM. Overweight cats: Prevalence and risk factors. International Journal of Obesity.1994;18(S1):22-28.

Simpson JW, Maskell IE, Markwell PJ. Use of a restricted antigen diet in the management of idiopathic canine colitis. Journal of Small Animal Practice.1994;35(5):233-238.

Simpson JW, Maskell IE, Quigg J, Markwell PJ. Long term management of canine exocrine pancreatic insufficiency. Journal of Small Animal Practice.1994;35(3):133-138.

Taylor EJ, Nott HMR, Earle KE. Dietary glycine: Its importance in growth and development of the budgerigar (*melopsittacus undulatus*). Journal of Nutrition.1994;124(12S):2555-2558.

Taylor EJ, Nott HMR, Earle KE. The nutrition of the canary (*serinus canarius*). Journal of Nutrition.1994;124(12S):2636-2637.

Thorne CJ. Feline and canine fads. Veterinary Record.1994;135(2):48.

Wills JM. Energy requirements of dogs and cats. South African Veterinary Medicine.1994;7(3):93-96.

Wills JM, Harvey RM. Diagnosis and management of food allergy and intolerance in dogs and cats. Australian Veterinary Journal.1994;71(10):322-325.

1993

Burger IH. Reading a pet food label. Journal of Small Animal Practice.1993;34:189-191.

Downs LG, Bolton CH, Crispin SM, Wills JM. Plasma lipoprotein lipids in five different breeds of dogs. Research in Veterinary Science.1993;54:63-67.

Earle KE. Calculations of energy requirements of dogs, cats and small psittacine birds. Journal of Small Animal Practice.1993;34:163-173.

Harris PA. Preliminary investigations into factors that affect plasma aldosterone concentrations in horses. Research in Veterinary Science.1993;54(3):319-328.

Johnson JV. Protein requirements of dogs. WALTHAM Focus.1993;3(1):9-14.



Legrand-Defretin V. Besoins energetiques et obesite. Le Depache Technique.1993;31:17-21.

Markwell PJ. Feline lower urinary tract disease: A broader view. Veterinary Technician.1993;14(10):585-589, cont'd on 609.

Markwell PJ. Nutrition and aspects of feline lower urinary tract disease. Journal of Small Animal Practice.1993;34:157-162.

Markwell PJ, Smith BHE. An effective urine pH monitoring system for cats. Animal Technology.1993;44(3):239-245.

Maskell IE, Graham PA. Diabetes mellitus in the dog: The role of complex carbohydrates and practical clinical management. WALTHAM Focus.1993;3(2):11-19.

Moraillon R, Harte J. Insuffisance renale chronique du chat interet d'un regime hypoproteique. Le Depache Technique.1993;31:3-7.

Munday HS, Davidson HPB. Normal length in the domestic shorthair cat (*felis domesticus*). Journal of Reproduction and Fertility.1993(47):559.

Taylor EJ, Nott HMR, Earle KE. The nutrition of the canary (*serinus canarius*). Journal of Nutrition.1993;124(S12):2636-2637.

Taylor EJ, Nott HMR, Earle KE. Dietary glycine: Effect on growth and development of the budgerigar. Journal of Nutrition.1993;124(S12):2555-2558.

Thorne CJ, Mars LA, Markwell PJ. A behavioural study of the queen and her kittens. Animal Technology.1993;44(1):11-17.

Wills JM. Research worldwide targets nutritional advancements. Veterinary Forum.1993:52-4.

1992

Burger IH. Diet, health and safety. International Milling Flour and Feed.1992:28-31.

Burger IH. Water balance in the dog and cat. Pes Pritel Cloveka.1992:37.

Burger IH, Earle KE. Understanding taurine. WALTHAM Focus. 1992;2(2):9-13.

Earle KE. WALTHAM leads the way in understanding cat nutrition. Cats Annual.1992:6-10.



Harris PA, Marlin D, Gray J. Equine thyroid function tests: A preliminary investigation. British Veterinary Journal.1992;148(1):71-80.

Harris PA, Snow DH. Plasma potassium and lactate concentrations in thoroughbred horses during exercise of varying intensity. Equine Veterinary Journal.1992;24(3):220-225.

Johnson JV. Nutricao de caes. O Pastoeiro.1992:5-8.

Markwell PJ. Vyziva a zdrave kosti. Nutrition and healthy bones. Pres Pritel Cloveka. 1992;37:8.

Markwell PJ. Die ernahrung beim felinen urologischen syndrom (FUS). Nutrition and the feline urological syndrome.1992;79:289-292.

Mars LA, Kiesling HE, Ross TT, Armstrong JB, Murray L. Water acceptance and intake in horses under shipping stress. Journal of Equine Veterinary Science.1992;12(1):17-20.

Nott HMR. The nutritional requirements of Psittacines. WALTHAM Focus.1992;2(3):2-7.

Pannevis MC, Houlihan DF. The energetic cost of protein synthesis in isolated hepatocytes of rainbow trout (*oncorhynchus mykiss*). Journal of Comparative Physiology.1992;162:393-400.

Wills JM. Meeting the nutritional demands of your canine and feline patients. Veterinary Medicine.1992;87:883.

Wills JM. Diagnosing and managing food sensitivity in cats. Veterinary Medicine.1992;87(9):884-892.

Wills JM. La hipersensibilidad detetica felina. Veterinaria Informacion.1992;121:47-52.

Wills JM. Die futtermittelallergie der katze. Dietary Sensitivity in Cats.1992;79(8):229-235.

Wills JM, Johnson JV, Whyte AL. Nutrition of the dog. Journal of Veterinary Nutrition.1992;1:1-15.

1991

Anderson RS, Carlos GH, Robinson IP, Booles DB, Burger IH, Whyte AL. Zinc, copper, iron and calcium concentrations in bitch milk. Journal of Nutrition.1991;121(S11):81-82.



Booles DB, Burger IH, Whyte AL, Anderson RS, Carlos GM, Robinson IP. Effects of two levels of zinc intake on growth and trace element status in Labrador puppies. Journal of Nutrition.1991;121(S11):79-80.

Brownlie S, Nott HMR. An investigation of size in Irish Wolfhounds with supraventricular cardiac arrhythmias. Veterinary Record.1991;129:493.

Burger IH, Johnson JV. Dogs large and small: The allometry of energy requirements within a single species. Journal of Nutrition.1991;121(S11):18-21.

Burrows IE. WALTHAM centre for pet nutrition. WALTHAM Focus.1991;1(1):22-23.

Davey MC, Davidson HPB, Richard KJ, Wynn-Williams DD. Attachment and growth of antartic soil cyanobacteria and algae on natural substrata. Soil Biology and Biochemistry.1991;23(2):185-192.

Earle KE, Clarke NR. The nutrition of the budgerigar (*melopsittacus undulatus*). Journal of Nutrition.1991;121(S11):186-192.

Earle KE, Smith PM. The effect of dietary taurine content on the plasma taurine concentration of the cat. British Journal of Nutrition.1991;66:227-235.

Earle KE, Smith PM. Digestible energy requirements of adult cats at maintenance. Journal of Nutrition.1991;121(S11):45-46.

Harris PA. The equine rhabdomyolysis syndrome in the United Kingdom: Epidemic and clinical descriptive information. British Veterinary Journal.1991;147(4):373-384.

Kienzle E, Rainbird AL. Maintenance energy requirement of dogs: What is the correct value for the calculation of metabolic body weight in dogs? Journal of Nutrition.1991;121(S11):39-40.

Marchand C, Moore A. Pet populations and ownership around the world. WALTHAM Focus.1991;1(1):14-15.

Markwell PJ, Gaskell CJ. Progress in understanding feline lower urinary tract disease. WALTHAM Focus.1991;1(3):22-29.

Munday HS, Earle KE. Energy requirements of the queen during lactation and kittens from birth to 12 weeks. Journal of Nutrition.1991;121(S11):43-44.

Watson D. Veterinary prescription diets. Veterinary Record.1991;129(24):536.



Wills JM. Clam juice as a source of taurine. Journal of Small Animal Practice. 1991;32(10):540.

Wills JM. Hypersensibilite d'origine alimentaire chez le chat. Vet Rec Cersion Français.1991;13:87-93.

Wills JM. Dietary hypersensitivity in cats. In Practice.1991;13(3):87-91.

Wills JM. Energy requirements of dogs and cats. WALTHAM Focus.1991;1(4):2-5.

1990

Burger IH. Carbohydrate - why bother? Animalis Familiaris.1990;5(1):2-8.

Earle KE. Feeding for health. Journal of Small Animal Practice.1990;31:477-481.

Earle KE, Smith PM, Gillott WM, Poore DW. Haematology of the weanling, juvenile and adult cat. Journal of Small Animal Practice.1990;31:225-228.

Harris PA. An outbreak of the equine rhabdomyolysis syndrome in a racing yard. Veterinary Record.1990;127(19):468-470.

Harris PA, Snow DH, Greet TR, Rossdale PD. Some factors influencing plasma AST/CK activities in thoroughbred racehorses. Equine Veterinary Journal.1990;(9):66-71.

Harris PA, Whitwell K. A typical myoglobinuria alert. Veterinary Record.1990;127(24):603.

Markwell PJ, van E, Parkin GD, Sloth CJ, Shantz-Christienson T. Obesity in the dog. Journal of Small Animal Practice.1990;31:533-537.

Rainbird AL, Kienzle E. Studies on the energy requirement of dogs according to breed and age. Kleintierpraxis.1990;35.

Wills JM. Feline chlamydial infection (feline pneumonitis). Animalis Familiaris.1990;5(2):15-20.

Wills JM, Watson TDG, Lusher M, Mair TS, Wood D, Richmond SJ. Characterisation of chlamydia psittaci isolated from a horse. Veterinary Microbiology.1990;24.

1988

Harris PA. Collection of urine. Equine Veterinary Journal.1988;20(2):86-88.



Harris PA, Colles C. The use of creatinine clearance ratios in the prevention of equine rhabdomyolysis: A report of four cases. Equine Veterinary Journal.1988;20(6):459-463.

Harris PA, Snow DH. The effects of high intensity exercise on the plasma concentration of LA potassium and other electrolytes. Equine Veterinary Journal.1988;20(2):109-113.

Markwell PJ. Nutritional differences between the dog and cat. Society of Ontario Veterinarians.1988;9(2):21-22.

Whitwell K, Harris PA, Farrington PG. A typical myoglobinuria: An acute myopathy in grazing horses. Equine Veterinary Journal. 988;20(5):357-363.

Wills JM. Feline and canine geriatric medicine. Animalis Familiaris.1988;3(3):15-21.

1987

Burger IH. Nutritional aspects of the feline urological syndrome (FUS). Animalis Familiaris.1987;10:3-5.

Burger IH, Edney ATB, Horrocks D. Basics of feline nutrition. In Practice.1987;9(4):143-150.

Burrows IE, Burger IH. Nutrition and performance. Animalis Familiaris.1987;2(3):17-19.

Grant TR. A behavioural study of a beagle bitch and her litter during the first 3 weeks of lactation. Animal Technology.1987;37(3):157-167.

Loveridge GG. Some factors affecting kitten growth. Animalis Familiaris.1987;2(4):9-16.

Markwell PJ, Thorne CJ. Early behavioural development of dogs. Journal of Small Animal Practice.1987;28:984-991.

Rainbird AL. Influence of nutrition on skin and coat condition in dogs and cats. Clinical Insight.1987;12(2):695-696.

1986

Bradshaw JWS. Mere exposure reduces cats' neophobia to unfamiliar food. Animal Behaviour.1986;34(2):613-614.

Burger IH. Nutritional aspects of the feline urological syndrome (FUS). Annales de Medicine Veterinaire.1986;130:499-503.



Burger IH. Gesichtspunkte zur ernahrung der katze bei felinem urologischem syndrom (FUS). Nutritional aspects of the feline urological syndrome (FUS). Kleintierpraxis.1986;31(4):161-212.

Burrows IE. Feeding pet animals. Animalis Familiaris.1986;1:3-6.

Edney ATB, Gaskell CJ, Flagstad A, Hedhammar AA, Presthus J. Feline dysautonomia. Veterinary Record.1986;119(19):483.

Edney ATB, Smith PM. Study of obesity in dogs visiting veterinary practices in the United Kingdom. Veterinary Record.1986;118(14):391-396.

Harris PA, Snow DH. Tying up the loose ends of equine rhabdomyolysis. Equine Veterinary Journal.1986;18(5):346-348.

Loveridge GG. Body weight changes and energy intake of cats during gestation and lactation. Animalis Familiaris.1986;2(1):9-14.

1985

Anderson RS, Blaza SE. Recent advances in canine and feline nutrition. Wiener Tierarztliche Monatsschrift.1985;72(3):71-74.

Edney ATB. Feeding management in cases of disease - obesity studies. Wiener Tierarztliche Monatsschrift.1985;72(3):105-108.

Kendall PT, Burger IH, Smith PM. Methods of estimation of the metabolizable energy content of cat foods. Feline Practice.1985;15(2):38-44.

1984

Anderson RS, Blaza SE, Burger IH, Edney ATB. Content of commercial dog foods. Veterinary Record.1984;114(12):302-303.

Blaza SE. Nutrition of growing dogs. Animalis Familiaris.1984;5:27-30.

Burger IH, Blaza SE, Kendall PT, Smith PM. The protein requirement of adult cats for maintenance. Feline Practice.1984;14(2):8-14.

Jarrett O, Edney ATB, Toth S, Hay D. Feline leukaemia virus- free lymphosarcoma in a specific pathogen free cat. Veterinary Record.1984;115:249-250.



Loveridge GG. The establishment of barriered respiratory disease free cat breeding colony. Animal Technology.1984;35(2):83-92.

1983

Blaza SE, Garrow JS. Thermogenic response to temperature, exercise and food stimuli in lean and obese woman, studied by 24h direct calorimetry. British Journal of Nutrition.1983;49:171.

Burrows IE. Stability of intermediate moisture foods. Journal of Science, Food and Agriculture.1983;34(9):1019-1020.

Friedmann E, Katcher AH, Thomas SA, Lynch JJ, Messent PR. Social interaction and blood pressure - influence of animal companions. Journal of Nervous & Mental Disease.1983;171(8):461-465.

Kendall PT, Blaza SE, Smith PM. Influence of level of intake and dog size on apparent digestibility of dog foods. British Veterinary Journal.1983;139:361.

Kendall PT, Blaza SE, Smith PM. Comparative digestible energy requirements of adult Beagles and domestic cats for body weight maintenance. Journal of Nutrition.1983;113:1946-1955.

1982

Aries V, Cheney PA, Mossel DAA. Ecological studies on the occurrence of bacteria utilizing lactic acid at pH values below 4.5. Journal of Applied Bacteriology.1982;52(3):345-351.

Blaza SE. Energy requirements of dogs in cool conditions. Canine Practice.1982;9(1):10-15.

Blaza SE, Burger IH, Holme DW, Kendall PT. Sulfur- containing amino acid requirements of growing dogs. Journal of Nutrition.1982;112:2033-2042.

Burger IH, Barnett KC. The taurine requirement of the adult cat. Journal of Small Animal Practice.1982;23:533-537.

Kendall PT, Blaza SE, Holme DW. Assessment of endogenous nitrogen output in adult dogs of contrasting size using a protein - free diet. Journal of Nutrition.1982;112:1281-1286.

Kendall PT, Holme DW. Studies on the digestibility of soya bean products, cereals, cereal and plant by-products in diets of dogs. Journal of Science, Food and Agriculture.1982;33:813-822.

Kendall PT, Holme DW, Smith PM. Comparative evaluation of net digestive and absorptive efficiency in dogs and cats fed a variety of contrasting diet types. Journal of Small Animal Practice.1982;23(9):577-587.



Kendall PT, Holme DW, Smith PM. Methods of prediction of the digestible energy content of dog foods from gross energy value, proximate analysis and digestive nutrient content. Journal of Science, Food and Agriculture.1982;33:823-831.

Kendall PT, Smith PM, Holme DW. Factors affecting digestibility and in vivo energy content of cat foods. Journal of Small Animal Practice.1982;23(9):538-554.

Thorne CJ. Feeding behaviour in the cat - recent advances. Journal of Small Animal Practice.1982;23(9):555-562.

1981

Edney ATB. Nutrition and disease. Wiener Tierarztliche Monatsschrift.1981;68:115-122.

Ford DM. The hobby of ornamental fish keeping. Journal of Small Animal Practice.1981;22(6):317-322.

Holme DW. Diets for growing dogs. Veterinary Annual.1981;21:157-160.

1980

Barnett KC, Burger IH. Taurine deficiency retinopathy in the cat. Journal of Small Animal Practice.1980;21:521-534.

Clapperton JF. An application of sensory scoring to the study of food flavours. Journal of Science, Food and Agriculture.1980;31(6):621.

Edney ATB. A look into the future of small animal practice. Veterinary Record.1980;106(15):347-348.

1979

Beauchamp GK, Doty RL, Moulton DG, Mugford RA. Defence of the term pheromone - reply. Journal of Chemical Ecology.1979;5(2):301-305.

1978

Edney ATB. Dietary management in small animal practice. Veterinary Record.1978;102:543-545.

1977

Beauchamp GK, Doty RL, Moulton DG, Mugford RA. Early behavioural development of the dog. British Veterinary Journal.1977;133(2):191.



Messent PR. Aviculture and the pet bird. Journal of Small Animal Practice.1977;19(1):43-46. Messent PR. Factors controlling reproduction in the budgerigar. Journal of Small Animal Practice.1977;3(2):197.

Walker AD, Weaver AD, Anderson RS, Crighton GW, Fennell C, Gaskell CJ, *et al.* Epidemiological survey of feline urological syndrome. Journal of Small Animal Practice.1977;18(4):283-301.

1976

Anderson RS. Food and disease in dogs and cats. Veterinary Record.1976;99(17):328-329.

Anderson RS. Modern feeding of pets - disease and food. Veterinary Record.1976;99(8):149.

Beauchamp GK, Doty RL, Moulton DG, Mugford RA. The pheromone concept in mammalian chemical communications: A critique. Mammalian Olfaction, Reproduction Processes and Behaviour.1976:143-160.

Holme DW. Modern feeding of pets - food in health. Veterinary Record.1976;99(8):149.

1975

Anderson RS. Cat colony nutrition. Veterinary Record.1975:135-6.

Bennett E. Breeding for temperament. Veterinary Record. 1975;96(17):389.

1974

Edney ATB. Management of obesity in the dog. Veterinary Medicine and Small Animal Clinician.1974;49(1):46-49.

1971

Bell ET, Christie DW, Parkes MF. Urinary total 17 hydroxycorticosteroid output impact and ovariectomized bitches. Acta Endocrinologica.1971;68(3):387-393.

Bell ET, Christie DW, Younglai EV. Plasma oestrogen levels during the canine oestrous cycle. Journal of Endocrinology.1971;51(1):225-226.

Bell ET, Parkes MF, Christie DW. Gonadotrophin excretion in ovariectomized bitches. Journal of Reproduction and Fertility.1971;27:83-89.

Christie DW, Bell ET. Endocrinology of the oestrous cycle in the bitch. Journal of Small Animal Practice.1971;12(7):383-389.



Christie DW, Bell ET. Some observations on the seasonal incidence and frequency of oestrus in breeding bitches in Britain. Journal of Small Animal Practice.1971;12:159-167.

Christie DW, Bell ET, Harrison D. Studies on the mouse uterine augmentation test for the assay of follicle stimulating hormone in four mouse colonies. Acta Endocrinologica.1971;68(4):715-724.

Christie DW, Bell ET, Horth CE, Palmer RF. Peripheral plasma progesterone levels during the canine oestrous cycle. Acta Endocrinologica.1971;68(3):543-550.

1970

Anderson RS. Nutrition of the Greyhound. Veterinary Record.1970;87:205.

Bell ET, Christie DW. Studies on the tetrazolium reduction assay for follicle-stimulating hormone. Acta Endocrinologica.1970;65(3):459-465.

Bell ET, Christie DW. Studies on canine reproductive behaviour. Journal of Endocrinology.1970;48:3-4.

Bell ET, Christie DW. Gonadotrophin and steroid interrelationships during the normal menstrual cycle. Steroidologia.1970;1(3):152-174.

Bell ET, Christie DW. Strain variation in the assay of follicle stimulating hormone by ovarian aumentation test in mice. Acta Endocrinologica.1970;63(2):275-282.

Christie DW, Bailey JB, Bell ET. The collection of vaginal smears from the Beagle bitch. Veterinary Record.1970:265.

Christie DW, Bell ET. The use of progestogens to control reproductive function in the bitch. Animal Breeding Abstract.1970;38(1):1-21.

Edney ATB. Observations on the effects of feeding a low protein diet to dogs with nephritis. Journal of Small Animal Practice.1970;11:281-291.

1969

Anderson RS, Edney ATB. Protein intake and blood urea in the dog. Veterinary Record.1969;84:348-349.

Edney ATB. Lactational tetany in the cat. Journal of Small Animal Practice.1969;10:231-236.



1966

Blackmore DK. The clinical approach to tumours in cage birds. Journal of Small Animal Practice.1966;7:215.

1965

Blackmore DK. The budgerigar and the veterinary profession. Journal of Small Animal Practice.1965;6:1-5.

Blackmore DK, Lucas JF. A simple method for the accurate oral administration of drugs to budgerigars. Journal of Small Animal Practice.1965;6:27-29.

1963

Blackmore DK. Some observations of cnemidocoptes pilae, together with its effect on the budgerigar (*melopsittacus undulatus*). Veterinary Record.1963;75(23):592-595.

Blackmore DK. The incidence and aetiology of thyroid dysplasia in budgerigars (*melopsittacus undulatus*). Veterinary Record.1963;75(42):1068-1072.

1961

Booth RG. Some aspects of dog nutrition. Veterinary Record.1961;73(44):1095-1101.